

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| Part Number | Description | List |
|-------------------|---|-------|
| AF011-2-2 | Adapter Hex Nipple 1/8" MNPT x 1/8" MNPT | 5.98 |
| AF011-2-4 | Adapter Hex Nipple 1/8" MNPT x 1/4" MNPT | 7.40 |
| AF011-4-4 | Adapter Hex Nipple 1/4" MNPT x 1/4" MNPT | 6.68 |
| AF012-2-2 | Adapter Connector 1/8" MNPT x 1/8" FNPT | 7.58 |
| AF012-2-4 | Adapter Connector 1/8" MNPT x 1/4" FNPT | 6.44 |
| AF012-4-2 | Adapter Connector 1/4" MNPT x 1/8" FNPT | 5.43 |
| AF012-4-4 | Adapter Connector 1/4" MNPT x 1/4" FNPT | 9.29 |
| AF01HB-2-2 | Adapter Hex Nipple 1/8" MNPT x 1/8" ID Hose Barb | 12.54 |
| AF01HB-2-3 | Adapter Hex Nipple 1/8" MNPT x 3/16" ID Hose Barb | 8.42 |
| AF01HB-2-4 | Adapter Hex Nipple 1/8" MNPT x 1/4" ID Hose Barb | 6.53 |
| AF01HB-2-5 | Adapter Hex Nipple 1/8" MNPT x 5/16" ID Hose Barb | 11.90 |
| AF01HB-4-2 | Adapter Hex Nipple 1/4" MNPT x 1/8" ID Hose Barb | 11.61 |
| AF01HB-4-3 | Adapter Hex Nipple 1/4" MNPT x 3/16" ID Hose Barb | 12.10 |
| AF01HB-4-4 | Adapter Hex Nipple 1/4" MNPT x 1/4" ID Hose Barb | 7.34 |
| AF01HB-4-5 | Adapter Hex Nipple 1/4" MNPT x 5/16" ID Hose Barb | 9.67 |
| AF01HBB-2-4-6 | Adapter Hex Nipple 1/8" MNPT x 1/4" & 3/8" ID Hose Bubble Barb | 8.71 |
| AF01HBB-2-6-8 | Adapter Hex Nipple 1/8" MNPT x 3/8" & 1/2" ID Hose Bubble Barb | 10.88 |
| AF022-2-2 | Adapter Coupler 1/8" FNPT x 1/8" FNPT | 8.36 |
| AF022-4-2 | Adapter Coupler 1/4" FNPT x 1/8" FNPT | 9.87 |
| AF022-4-4 | Adapter Coupler 1/4" FNPT x 1/4" FNPT | 9.87 |
| AF022BH-2-2 | Adapter Coupler 1/8" FNPT x 1/8" FNPT Bulkhead Assembly | 42.67 |
| AF02HB-2-2 | Adapter Hex Nipple 1/8" FNPT x 1/8" ID Hose Barb | 16.11 |
| AF02HB-2-3 | Adapter Hex Nipple 1/8" FNPT x 3/16" ID Hose Barb | 16.57 |
| AF02HB-2-4 | Adapter Hex Nipple 1/8" FNPT x 1/4" ID Hose Barb | 7.20 |
| AF02HB-4-2 | Adapter Hex Nipple 1/4" FNPT x 1/8" ID Hose Barb | 9.26 |
| AF02HB-4-3 | Adapter Hex Nipple 1/4" FNPT x 3/16" ID Hose Barb | 12.10 |
| AF02HB-4-4 | Adapter Hex Nipple 1/4" FNPT x 1/4" ID Hose Barb | 8.39 |
| AF02HB-4-5 | Adapter Hex Nipple 1/4" FNPT x 5/16" ID Hose Barb | 10.19 |
| AF0HBHB-2-2 | Adapter 1/8" ID Hose Barb x 1/8" ID Hose Barb Splicer | |
| AF0HBHB-3-3 | Adapter 3/16" ID Hose Barb x 3/16" ID Hose Barb Splicer | 9.61 |
| AF0HBHB-4-4 | Adapter 1/4" ID Hose Barb x 1/4" ID Hose Barb Splicer | 9.61 |
| AF112-2-2 | Adapter 45 Street Elbow 1/8" MNPT x 1/8" FNPT | 9.20 |
| AF112-4-4 | Adapter 45 Street Elbow 1/4" MNPT x 1/4" FNPT | 10.83 |
| AF212-2-2 | Adapter 90 Street Elbow 1/8" MNPT x 1/8" FNPT | 9.08 |
| AF212-2-4 | Adapter 90 Street Elbow 1/8" MNPT x 1/4" FNPT | 10.74 |
| AF212-4-4 | Adapter 90 Street Elbow 1/4" MNPT x 1/4" FNPT | 9.90 |
| AF21HB-2-4 | Adapter 90 Elbow 1/8" MNPT x 1/4" ID Hose Barb | 13.50 |
| AF21HB-4-4 | Adapter 90 Elbow 1/4" MNPT x 1/4" ID Hose Barb | 16.37 |
| AF222-2-2 | Adapter 90 Elbow 1/8" FNPT x 1/8" FNPT | 8.91 |
| AF222-4-4 | Adapter 90 Elbow 1/4" FNPT x 1/4" FNPT | 11.84 |
| AF22HB-2-4 | Adapter 90 Elbow 1/8" FNPT x 1/4" ID Hose Barb | 17.91 |
| AF22HB-2-5 | Adapter 90 Elbow 1/8" FNPT x 5/16" ID Hose Barb | 18.69 |
| AF2SHB-2-4 | Adapter 90 Elbow 1/8" FNPT Swivel x 1/4" ID Hose Barb | 33.06 |
| AF2SHB-2-5 | Adapter 90 Elbow 1/8" FNPT Swivel x 5/16" ID Hose Barb | 41.97 |
| AF3122-2-2-2 | Adapter Street Tee 1/8" MNPT x 1/8" FNPT x 1/8" FNPT | 11.20 |
| AF3122-4-4-4 | Adapter Street Tee 1/4" MNPT x 1/4" FNPT x 1/4" FNPT | 18.98 |
| AF32-2 | Adapter Female Tee 1/8" FNPT | 12.86 |
| AF32-4 | Adapter Female Tee 1/4" FNPT | 13.79 |
| AF3212-2-2-2 | Adapter Branch Tee 1/8" FNPT x 1/8" MNPT x 1/8" FNPT | 14.25 |
| AF3212-4-4-4 | Adapter Branch Tee 1/4" FNPT x 1/4" MNPT x 1/4" FNPT | 16.66 |
| AF3S-2 | Adapter Female Swivel Tee 1/8" FNPT | 43.20 |
| AF3SDCVS-2-1240-2 | Adapter Female Swivel Tee 1/8" FNPT x DCV-1240 x 1/8" FNPT | 63.29 |
| AF3T-2 | Adapter Female Tee Dodecagon 1/8" FNPT | 27.00 |
| AF3T2-2 | Adapter Female Tee Dodecagon 1/8" FNPT w/ 4th 1/8" FNPT on Centerline | 32.40 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|--|-------|
| AF3Y-2 | Adapter Female Y Dodecagon 1/8" FNPT | 37.80 |
| AF3Y2-2 | Adapter Female Y Dodecagon 1/8" FNPT w/ 4th 1/8" FNPT on Centerline | 43.20 |
| AF42-2 | Adapter Female Cross 1/8" FNPT | 18.75 |
| AF42-4 | Adapter Female Cross 1/4" FNPT | 21.86 |
| AF4C-2 | Adapter Female Cross Dodecagon 1/8" FNPT | 37.80 |
| AF4C2-2 | Adapter Female Cross Dodecagon 1/8" FNPT w/ 5th 1/8" FNPT on Centerline | 43.20 |
| AF6-4 | Adapter Female Manifold Hex w/ 6 ports 1/4" FNPT | 39.56 |
| AFCP1-2 | Adapter Countersunk Pipe Plug x 1/8" MNPT | 5.81 |
| AFCP1-4 | Adapter Countersunk Pipe Plug x 1/4" MNPT | 7.84 |
| AFHP1-2 | Adapter Hex Head Pipe Plug x 1/8" MNPT | 5.81 |
| AFHP1-4 | Adapter Hex Head Pipe Plug x 1/4" MNPT | 6.18 |
| AFL15-011-2-2 | Adapter Pipe Nipple 1/8" MNPT, 1.5" Long | 10.88 |
| AFL15-011-4-4 | Adapter Pipe Nipple 1/4" MNPT, 1.5" Long | 13.32 |
| AFL20-011-2-2 | Adapter Pipe Nipple 1/8" MNPT, 2" Long | 12.13 |
| AFL20-011-4-4 | Adapter Pipe Nipple 1/4" MNPT, 2" Long | 13.82 |
| AFL25-011-2-2 | Adapter Pipe Nipple 1/8" MNPT, 2.5" Long | 12.89 |
| AFL25-011-4-4 | Adapter Pipe Nipple 1/4" MNPT, 2.5" Long | 17.68 |
| AFL25-012-2-2 | Adapter Long Connector 1/8" MNPT x1/8" FNPT, 2.5" Long | 19.97 |
| AFL30-011-4-4 | Adapter Pipe Nipple 1/4" MNPT, 3" Long | 20.00 |
| AFL30-012-4-4 | Adapter Long Connector 1/4" MNPT x1/4" FNPT, 3" Long | 32.77 |
| AFL35-011-4-4 | Adapter Pipe Nipple 1/4" MNPT, 3.5" Long | 21.94 |
| B-22-T-22S | Block-T 1- 1/8" FNPT Inlet, 2 - 1/8" Outlet, Small Profile | 32.40 |
| B-22-TC-22 | Block-T 1 - 1/8" FNPT Inlet Center, 2 - 1/8" FNPT Outlet Offset | 32.36 |
| B-22-TR-22 | Block-T 1 - 1/8" FNPT Inlet Offset, 2 - 1/8" FNPT Outlet Offset | 34.02 |
| B-22-Y-22 | Block-Y 1- 1/8" FNPT Inlet, 2 - 1/8" Outlet | 24.00 |
| B-22-Y-22S | Block-Y 1- 1/8" FNPT Inlet, 2 - 1/8" Outlet, Small Profile | 24.30 |
| B-22-Y-24 | Block-Y 1- 1/8" FNPT Inlet, 2 - 1/4" Outlet | 24.00 |
| B-222-T-222S | Block-T 1- 1/8" FNPT Inlet, 2 - 1/8" Outlet, Side 1 - 1/8" Outlet, Small Profile | 27.00 |
| B-222-Y-222S | Block-Y 1- 1/8" FNPT Inlet, 2 - 1/8" Outlet, Side 1 - 1/8" Outlet, Small Profile | 27.00 |
| B-2222S | Block-Cross 1- 1/8", Small Profile | 32.40 |
| B-24-Y-24 | Block-Y 1- 1/4" FNPT Inlet, 2 - 1/4" Outlet | 24.00 |
| B-3122-2-2-2 | Block-Power Take-Off 1- 1/8" MNPT Inlet, 2 - 1/8" FNPT Outlet | |
| CGA-280-25-14 | CGA 280, Nipple, 2-1/2" x 1/4" MNPT | 16.11 |
| CGA-280-HN | CGA 280, Hex Nut | 20.11 |
| CGA-280-PSC | CGA 280, Plug &Chain | |
| CGA-280CV-25-14 | CGA 280, Nipple, 2-1/2" x 1/4" MNPT w/One-Way Check Valve | 69.01 |
| CGA-280F-25-14 | CGA 280, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 18.40 |
| CGA-320-20-14 | CGA 320, Nipple, 2" x 1/4" MNPT | 16.85 |
| CGA-320-25-14 | CGA 320, Nipple, 2-1/2" x 1/4" MNPT | 20.29 |
| CGA-320-HN | CGA 320, Hex Nut | 15.82 |
| CGA-320-PSC | CGA 320, Plug &Chain | 20.12 |
| CGA-320-TW | CGA 320, Teflon Washer (each price, pack of 10) | 2.95 |
| CGA-320F-25-14 | CGA 320, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 23.34 |
| CGA-320P-3121 | Branch Tee Male, One - Female Hex Nut CGA 320 x Two - Male CGA 320, Plated | 88.18 |
| CGA-326-25-14 | CGA 326, Nipple, 2-1/2" x 1/4" MNPT | 17.44 |
| CGA-326-HN | CGA 326, Hex Nut | 16.86 |
| CGA-326-PSC | CGA 326, Plug &Chain | 26.46 |
| CGA-326F-25-14 | CGA 326, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 20.49 |
| CGA-326P-3121 | Branch Tee Male, One - Female Hex Nut CGA 326 x Two - Male CGA 326, Plated | 71.90 |
| CGA-346-25-14 | CGA 346, Nipple, 2-1/2" x 1/4" MNPT | 16.98 |
| CGA-346-HN | CGA 346, Hex Nut | 16.34 |
| CGA-346-KF | CGA 346, Kel-F Replacement Tip | |
| CGA-346-KN | CGA 346, Hand Tight Nut | |
| CGA-346-PSC | CGA 346, Plug &Chain | 21.17 |
| CGA-346F-25-14 | CGA 346, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 20.03 |
| CGA-346K-25-14 | CGA 346, Nipple w/Kel-F Tip, 2-1/2" x 1/4" MNPT | |
| CGA-346P-3121 | Branch Tee Male, One - Female Hex Nut CGA 346 x Two - Male CGA 346, Plated | 62.37 |
| CGA-346U-3121 | Branch Tee Male, One - Female Hex Nut CGA 346 x Two - Male CGA 346, Unplated | |

| Min std package | Flotec Part number can not be more than 15 spaces | |
|------------------|--|--------|
| Call for pricing | 123456789012345 | |
| Perferred Source | | |
| CGA-500-25-14 | CGA 500, Nipple, 2-1/2" x 1/4" MNPT | 14.54 |
| CGA-500-HN | CGA 500, Hex Nut | 13.26 |
| CGA-500-PSC | CGA 500, Plug &Chain | |
| CGA-500F-25-14 | CGA 500, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 30.71 |
| CGA-500P-3121 | Branch Tee Male, One - Female Hex Nut CGA 500 x Two - Male CGA 500, Plated | |
| CGA-540-20-14 | CGA 540, Nipple, 2" x 1/4" MNPT | 12.45 |
| CGA-540-25-14 | CGA 540, Nipple, 2-1/2" x 1/4" MNPT | 14.51 |
| CGA-540-30-14 | CGA 540, Nipple, 3" x 1/4" MNPT | 15.99 |
| CGA-540-HN | CGA 540, Hex Nut | 11.49 |
| CGA-540-KF | CGA 540, Hand Tight w/Kel-F Replacement Tip | 10.48 |
| CGA-540-KN | CGA 540, Hand Tight Nut | 31.00 |
| CGA-540-PSC | CGA 540, Plug & Chain | 24.38 |
| CGA-540F-20-14 | CGA 540, Nipple w/Filter, 2" x 1/4" MNPT | 17.65 |
| CGA-540F-25-14 | CGA 540, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 17.15 |
| CGA-540F-30-14 | CGA 540, Nipple w/Filter, 3" x 1/4" MNPT | 25.51 |
| CGA-540K-25-14 | CGA 540, Nipple w/Kel-F Tip, 2-1/2" x 1/4" MNPT | 28.21 |
| CGA-540P-3121 | Branch Tee Male, One - Female Hex Nut CGA 540 x Two - Male CGA 540, Plated | 51.68 |
| CGA-540U-3121 | Branch Tee Male, One - Female Hex Nut CGA 540 x Two - Male CGA 540, Unplated | |
| CGA-580-25-14 | CGA 580, Nipple, 2-1/2" x 1/4" MNPT | 17.33 |
| CGA-580-30-14 | CGA 580, Nipple, 3" x 1/4" MNPT | 17.33 |
| CGA-580-HN | CGA 580, Hex Nut | 15.59 |
| CGA-580-PSC | CGA 580, Plug &Chain | 15.98 |
| CGA-580F-25-14 | CGA 580, Nipple w/Filter, 2-1/2" x 1/4" MNPT | 22.58 |
| CGA-580F-30-14 | CGA 580, Nipple w/Filter, 3" x 1/4" MNPT | 20.38 |
| CGA-580P-3121 | Branch Tee Male, One - Female Hex Nut CGA 580 x Two - Male CGA 580, Plated | |
| CGA-870-14 | CGA 870 Yoke Assembly x 1/4" MNPT | 54.65 |
| CGA-870-18 | CGA 870 Yoke Assembly x 1/2" MNPT | |
| CGA-870-540 | CGA 870 Yoke Assembly x CGA 540 | 61.39 |
| CGA-870CV-14 | CGA 870 Yoke Assembly x 1/4" MNPT w/One-Way Check Valve | 92.36 |
| CGA-880-14 | CGA 880 Yoke Assembly x 1/4" MNPT | 85.80 |
| CGA-890-14 | CGA 890 Yoke Assembly x 1/4" MNPT | 85.80 |
| CGA-910-14 | CGA 910 Yoke Assembly x 1/4" MNPT | 61.39 |
| CGA-910-18 | CGA 910 Yoke Assembly x 1/8" MNPT | 66.32 |
| CGA-910-326 | CGA 910 Yoke Assembly x CGA 326 | 85.80 |
| CGA-910CV-14 | CGA 910 Yoke Assembly x 1/4" MNPT w/One-Way Check Valve | 111.69 |
| CGA-930-14 | CGA 930 Yoke Assembly x 1/4" MNPT | 61.39 |
| CGA-940-14 | CGA 940 Yoke Assembly x 1/4" MNPT | 111.69 |
| CGA-940-X7 | CGA 940 Yoke Assembly x Insufflator Yoke x 7/16" Flare | 84.11 |
| CGA-940CV-14 | CGA 940 Yoke Assembly x 1/4" MNPT w/One-Way Check Valve | 68.09 |
| CGA-950-14 | CGA 950 Yoke Assembly x 1/4" MNPT | 112.01 |
| CGA-950-18 | CGA 950 Yoke Assembly x 1/8" MNPT | |
| CGA-950-346 | CGA 950 Yoke Assembly x CGA 346 | 61.39 |
| CGA-950CV-14 | CGA 950 Yoke Assembly x 1/4" MNPT w/One-Way Check Valve | |
| CGA-960-14 | CGA 960 Yoke Assembly x 1/4" MNPT | 67.74 |
| CGA-960-18 | CGA 960 Yoke Assembly x 1/8" MNPT | |
| CGA-960-580 | CGA 960 Yoke Assembly x CGA 580 | 85.80 |
| CGA-973-14 | CGA 973 Yoke Assembly x 1/4" MNPT | 61.39 |
| CGA-973-18 | CGA 973 Yoke Assembly x 1/8" MNPT | |
| CGA-WM | CGA Nut Wrench, Metal | 16.95 |
| CV2144BN | Adapter One Way Check Valve w/ Nitrile O-ring 1/4" FNPT x 1/4" MNPT | 42.70 |
| CV2144BV | Adapter One Way Check Valve w/ Viton O-ring 1/4" FNPT x 1/4" MNPT | 42.70 |
| DCSC-1000 | DISS Cap w/ Swivel Chain for 1000 series | 18.00 |
| DCSC-1240X | DISS Cap w/ Swivel Chain for 1240 w/ o-ring | 16.98 |
| DCSC-2000 | DISS Cap w/ Swivel Chain for 2000 series | 26.56 |
| DCSC-2220 | DISS Cap w/ Swivel Chain for WAGD (EVAC) | |
| DCV-1040 | DISS Check Valve Nitrous Oxide x 1/8" MNPT | 29.08 |
| DCV-1040-4 | DISS Check Valve Nitrous Oxide x 1/4" MNPT | 29.72 |
| DCV-1040-WO | DISS Check Valve Nitrous Oxide x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|---|-------|
| DCV-1060 | DISS Check Valve He > 80% - Oxygen mixture x 1/8" MNPT | 43.42 |
| DCV-1060-4 | DISS Check Valve He > 80% - Oxygen mixture x 1/4" MNPT | 44.21 |
| DCV-1080-4 | DISS Check Valve Carbon Dioxide x 1/4" MNPT | 38.55 |
| DCV-1080-WO | DISS Check Valve Carbon Dioxide x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| DCV-1120 | DISS Check Valve Nitrogen x 1/8" MNPT | 35.73 |
| DCV-1120-4 | DISS Check Valve Nitrogen x 1/4" MNPT | 31.93 |
| DCV-1120-WO | DISS Check Valve Nitrogen x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| DCV-1160 | DISS Check Valve Medical Air x 1/8" MNPT | 30.94 |
| DCV-1160-4 | DISS Check Valve Medical Air x 1/4" MNPT | 28.56 |
| DCV-1160-WO | DISS Check Valve Medical Air x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| DCV-1180 | DISS Check Valve He <= 80% - Oxygen mixture x 1/8" MNPT | 43.25 |
| DCV-1180-4 | DISS Check Valve He <= 80% - Oxygen mixture x 1/4" MNPT | 43.97 |
| DCV-1220 | DISS Check Valve Vacuum (Suction) x 1/8" MNPT | 24.60 |
| DCV-1220-4 | DISS Check Valve Vacuum (Suction) x 1/4" MNPT | 27.17 |
| DCV-1220-WO | DISS Check Valve Vacuum (Suction) x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| DCV-1240 | DISS Check Valve Oxygen x 1/8" MNPT | 21.59 |
| DCV-1240-4 | DISS Check Valve Oxygen x 1/4" MNPT | 22.44 |
| DCV-1240-WO | DISS Check Valve Oxygen x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| DCV-2080-4 | DISS Check Valve Instrument Air x 1/4" MNPT | 45.08 |
| DCV-2220 | DISS Check Valve WAGD (EVAC) x 1/8" MNPT | 38.34 |
| DCV-2220-4 | DISS Check Valve WAGD (EVAC) x 1/4" MNPT | 41.94 |
| DCV-2220-WO | DISS Check Valve WAGD (EVAC) x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| DCVKN-1040-HB-4 | DISS Check Valve Knurled Nut Nitrous Oxide x 1/4" ID Hose Barb | 42.58 |
| DCVKN-1080-HB-4 | DISS Check Valve Knurled Nut Carbon Dioxide x 1/4" ID Hose Barb | 48.36 |
| DCVKN-1120-HB-4 | DISS Check Valve Knurled Nut Nitrogen x 1/4" ID Hose Barb | 46.93 |
| DCVKN-1160-HB-4 | DISS Check Valve Knurled Nut Medical Air x 1/4" ID Hose Barb | 47.48 |
| DCVKN-1220-HB-4 | DISS Check Valve Knurled Nut Vacuum (Suction) x 1/4" ID Hose Barb | 47.48 |
| DCVKN-1220-HB-5 | DISS Check Valve Knurled Nut Vacuum (Suction) x 5/16" ID Hose Barb | 59.27 |
| DCVKN-1240-HB-4 | DISS Check Valve Knurled Nut Oxygen x 1/4" ID Hose Barb | 39.50 |
| DCVKN-2080-HB-4 | DISS Check Valve Knurled Nut Instrument Air x 1/4" ID Hose Barb | 67.80 |
| DCVKN-2220-HB-4 | DISS Check Valve WAGD (EVAC) x 1/4" ID Hose Barb | 76.74 |
| DCVKN-2220-HB-5 | DISS Check Valve WAGD (EVAC) x 5/16" ID Hose Barb | 79.79 |
| DF-1020-4 | DISS Fitting Medical Mixtures x 1/4" FNPT | 34.78 |
| DF-1040 | DISS Fitting Nitrous Oxide x 1/8" MNPT | 18.14 |
| DF-1040-22 | DISS Fitting Nitrous Oxide x 1/8" FNPT | 27.81 |
| DF-1040-4 | DISS Fitting Nitrous Oxide x 1/4" MNPT | 18.90 |
| DF-1040-HB-4 | DISS Fitting Nitrous Oxide x 1/4" ID Hose Barb | 17.28 |
| DF-1060 | DISS Fitting He > 80% - Oxygen mixture x 1/8" MNPT | 32.83 |
| DF-1060-4 | DISS Fitting He > 80% - Oxygen mixture x 1/4" MNPT | 34.34 |
| DF-1060-HB-4 | DISS Fitting He > 80% - Oxygen mixture x 1/4" Hose Barb | |
| DF-1080 | DISS Fitting Carbon Dioxide x 1/8" MNPT | 27.40 |
| DF-1080-4 | DISS Fitting Carbon Dioxide x 1/4" MNPT | 34.34 |
| DF-1120 | DISS Fitting Nitrogen x 1/8" MNPT | 28.10 |
| DF-1120-22 | DISS Fitting Nitrogen x 1/8" FNPT | 35.06 |
| DF-1120-4 | DISS Fitting Nitrogen x 1/4" MNPT | 25.83 |
| DF-1120-HB-4 | DISS Fitting Nitrogen x 1/4" ID Hose Barb | 27.32 |
| DF-1160 | DISS Fitting Medical Air x 1/8" MNPT | 19.42 |
| DF-1160-22 | DISS Fitting Medical Air x 1/8" FNPT | 22.96 |
| DF-1160-4 | DISS Fitting Medical Air x 1/4" MNPT | 18.29 |
| DF-1160-HB-4 | DISS Fitting Medical Air x 1/4" ID Hose Barb | 24.76 |
| DF-1180 | DISS Fitting He <= 80% - Oxygen mixture x 1/8" MNPT | 21.65 |
| DF-1180-4 | DISS Fitting He <= 80% - Oxygen mixture x 1/4" MNPT | 22.26 |
| DF-1180-HB-4 | DISS Fitting He <= 80% - Oxygen mixture x 1/4" Hose Barb | 44.87 |
| DF-1200 | DISS Fitting Carbon Dioxide <= 80% - Oxygen mixture X 1/8" MNPT | 38.18 |
| DF-1200-4 | DISS Fitting Carbon Dioxide <= 80% - Oxygen mixture X 1/4" MNPT | 34.88 |
| DF-1220 | DISS Fitting Vacuum (Suction) x 1/8" MNPT | 20.69 |
| DF-1220-22 | DISS Fitting Vacuum (Suction) x 1/8" FNPT | 23.05 |
| DF-1220-4 | DISS Fitting Vacuum (Suction) x 1/4" MNPT | 20.72 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|--|--------|
| DF-1220-HB-4 | DISS Fitting Vacuum (Suction) x 1/4" Hose Barb | 15.53 |
| DF-1220-HB-5 | DISS Fitting Vacuum (Suction) x 5/16" Hose Barb | 18.36 |
| DF-1240 | DISS Fitting Oxygen x 1/8" MNPT | 5.20 |
| DF-1240-22 | DISS Fitting Oxygen x 1/8" FNPT | 9.11 |
| DF-1240-24 | DISS Fitting Oxygen x 1/4" FNPT | 11.23 |
| DF-1240-4 | DISS Fitting Oxygen x 1/4" MNPT | 5.63 |
| DF-1240-DF | DISS Fitting Oxygen x DISS Fitting | 5.57 |
| DF-1240-F73-12 | DISS Fitting Oxygen x 1/8" MNPT w/ # 73 Orifice | |
| DF-1240-F73-14 | DISS Fitting Oxygen x 1/4" MNPT w/ # 73 Orifice | |
| DF-1240-F77-12 | DISS Fitting Oxygen x 1/8" MNPT w/ # 77 Orifice | 26.62 |
| DF-1240-F77-14 | DISS Fitting Oxygen x 1/4" MNPT w/ # 77 Orifice | 25.92 |
| DF-1240-F80-12 | DISS Fitting Oxygen x 1/8" MNPT w/ # 80 Orifice | |
| DF-1240-F80-14 | DISS Fitting Oxygen x 1/4" MNPT w/ # 80 Orifice | |
| DF-1240-HB-3 | DISS Fitting Oxygen x 3/16" ID Hose Barb | |
| DF-1240-HB-4 | DISS Fitting Oxygen x 1/4" ID Hose Barb | 10.74 |
| DF-1240X-HB-3 | DISS Fitting Oxygen x 3/16" Hose Barb (no o-ring) | |
| DF-2080 | DISS Fitting Instrument Air x 1/8" MNPT | 24.93 |
| DF-2080-4 | DISS Fitting Instrument Air x 1/4" MNPT | 24.93 |
| DF-2220 | DISS Fitting WAGD (EVAC) x 1/8" MNPT | 20.32 |
| DF-2220-22 | DISS Fitting WAGD (EVAC) x 1/8" FNPT | 23.76 |
| DF-2220-4 | DISS Fitting WAGD (EVAC) x 1/4" MNPT | 21.77 |
| DF-2220-HB-4 | DISS Fitting WAGD (EVAC) x 1/4" Hose Barb | 23.76 |
| DHN-1020 | DISS Hex Nut Female Medical Mixtures | 10.18 |
| DHN-1040 | DISS Hex Nut Female Nitrous Oxide | 6.21 |
| DHN-1060 | DISS Hex Nut Female He > 80% - Oxygen mixture | 10.80 |
| DHN-1080 | DISS Hex Nut Female Carbon Dioxide | 10.19 |
| DHN-1120 | DISS Hex Nut Female Nitrogen | 7.23 |
| DHN-1160 | DISS Hex Nut Female Medical Air | 6.21 |
| DHN-1180 | DISS Hex Nut Female He <= 80% - Oxygen mixture | 10.19 |
| DHN-1200 | DISS Hex Nut Female Carbon Dioxide <7% - Oxygen mixture | 8.48 |
| DHN-1220 | DISS Hex Nut Female Vacuum (Suction) | 6.21 |
| DHN-1240 | DISS Hex Nut Female Oxygen | 2.76 |
| DHN-1240-S | DISS Hex Nut Female Oxygen stamped "O2" | 2.70 |
| DHN-2080 | DISS Hex Nut Female Instrument Air | 13.82 |
| DHN-2220 | DISS Hex Nut Female WAGD (EVAC) | 13.82 |
| DHN2-1040-12 | DISS Hex Nut Female Nitrous Oxide x 1/8" MNPT | 20.23 |
| DHN2-1040-14 | DISS Hex Nut Female Nitrous Oxide x 1/4" MNPT | 24.21 |
| DHN2-1040-HB-4 | DISS Hex Nut Female Nitrous Oxide x 1/4" ID Hose Barb | 19.88 |
| DHN2-1040-Y-DF | Y-Block DISS Hex Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Nitrous Oxide | 114.65 |
| DHN2-1060-12 | DISS Hex Nut Female He > 80% - Oxygen mixture x 1/8" MNPT | 43.28 |
| DHN2-1060-HB-4 | DISS Hex Nut Female He > 80% - Oxygen mixture x 1/4" ID Hose Barb | 41.01 |
| DHN2-1080-12 | DISS Hex Nut Female Carbon Dioxide x 1/8" MNPT | 32.68 |
| DHN2-1080-14 | DISS Hex Nut Female Carbon Dioxide x 1/4" MNPT | 35.12 |
| DHN2-1080-HB-4 | DISS Hex Nut Female Carbon Dioxide x 1/8" 1/4" ID Hose Barb | 32.68 |
| DHN2-1120-12 | DISS Hex Nut Female Nitrogen x 1/8" MNPT | 25.66 |
| DHN2-1120-14 | DISS Hex Nut Female Nitrogen x 1/4" MNPT | 25.66 |
| DHN2-1120-HB-4 | DISS Hex Nut Female Nitrogen x 1/4" ID Hose Barb | 23.05 |
| DHN2-1120-Y-DF | Y-Block DISS Hex Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Nitrogen | 117.20 |
| DHN2-1160-12 | DISS Hex Nut Female Medical Air x 1/8" MNPT | 20.64 |
| DHN2-1160-14 | DISS Hex Nut Female Medical Air x 1/4" MNPT | 23.71 |
| DHN2-1160-HB-4 | DISS Hex Nut Female Medical Air x 1/4" ID Hose Barb | 20.64 |
| DHN2-1160-Y-DF | Y-Block DISS Hex Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Medical Air | 112.73 |
| DHN2-1180-12 | DISS Hex Nut Female He <= 80% - Oxygen mixture x 1/8" MNPT | 33.99 |
| DHN2-1180-HB-4 | DISS Hex Nut Female He <= 80% - Oxygen mixture x 1/4" ID Hose Barb | 27.17 |
| DHN2-1220-12 | DISS Hex Nut Female Vacuum (Suction) x 1/8" MNPT | 20.26 |
| DHN2-1220-12L15 | DISS Hex Nut Female Vacuum (Suction) x 1/8" MNPT, 1.5" Long | 20.25 |
| DHN2-1220-14 | DISS Hex Nut Female Vacuum (Suction) x 1/4" MNPT | 22.09 |
| DHN2-1220-HB-4 | DISS Hex Nut Female Vacuum (Suction) x 1/4" ID Hose Barb | 20.26 |

| | |
|-----------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
|-----------------|---|

| | |
|------------------|-----------------|
| Call for pricing | 123456789012345 |
|------------------|-----------------|

| | |
|------------------|--|
| Perferred Source | |
|------------------|--|

| | | |
|------------------|--|--------|
| DHN2-1220-HB-5 | DISS Hex Nut Female Vacuum (Suction) x 5/16" ID Hose Barb | 23.25 |
| DHN2-1220-Y-DF | Y-Block DISS Hex Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Vacuum (Suction) | 115.17 |
| DHN2-1240-12 | DISS Hex Nut Female Oxygen x 1/8" MNPT, 1" Long | 14.72 |
| DHN2-1240-12 | DISS Hex Nut Female Oxygen x 1/8" MNPT | 18.55 |
| DHN2-1240-12L15 | DISS Hex Nut Female Oxygen x 1/8" MNPT, 1.5" Long | 19.77 |
| DHN2-1240-212 | DISS Hex Nut Female Oxygen x 1/8" MNPT Elbow | 23.54 |
| DHN2-1240-214 | DISS Hex Nut Female Oxygen x 1/4" MNPT Elbow | 24.50 |
| DHN2-1240-22 | DISS Hex Nut Female Oxygen x 1/8" FNPT | 18.75 |
| DHN2-1240-24 | DISS Hex Nut Female Oxygen x 1/4" FNPT | 46.29 |
| DHN2-1240-2DF | DISS Hex Nut Female Oxygen x DISS Fitting Elbow, 0.75" Long | 24.61 |
| DHN2-1240-DHN2 | DISS Hex Nut Female Oxygen x DISS Hex Nut Female | 19.48 |
| DHN2-1240-HB-4 | DISS Hex Nut Female Oxygen x 1/4" ID Hose Barb | 14.74 |
| DHN2-1240-Y-DF | Y-Block DISS Hex Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Oxygen | 62.90 |
| DHN2-124015-2DF | DISS Hex Nut Female Oxygen x DISS Fitting Elbow, 1.5" to 1.75" Long | 25.34 |
| DHN2-12402-2DF | DISS Hex Nut Female Oxygen x DISS Fitting Elbow, 2.0" Long | 26.85 |
| DHN2-1240X-12 | DISS Hex Nut Female Oxygen x 1/8" MNPT (no o-ring) | 13.50 |
| DHN2-1240X-12L15 | DISS Hex Nut Female Oxygen x 1/8" MNPT (no o-ring), 1.5" Long | 5.94 |
| DHN2-1240X-HB-4 | DISS Hex Nut Female Oxygen x 1/4" ID Hose Barb (no o-ring) | 11.61 |
| DHN2-2080-HB-4 | DISS Hex Nut Female Instrument Air x 1/4" ID Hose Barb | 35.50 |
| DHN2-2220-12 | DISS Hex Nut Female WAGD (EVAC) x 1/8" MNPT | 39.53 |
| DHN2-2220-14 | DISS Hex Nut Female WAGD (EVAC) x 1/4" MNPT | 39.53 |
| DHN2-2220-HB-4 | DISS Hex Nut Female WAGD (EVAC) x 1/4" Hose Barb | 39.53 |
| DHN2-2220-HB-5 | DISS Hex Nut Female WAGD (EVAC) x 5/16" Hose Barb | 45.63 |
| DHN2-2280-12 | DISS Hex Nut Female Instrument Air x 1/8" MNPT | 40.23 |
| DHN2-2280-14 | DISS Hex Nut Female Instrument Air x 1/4" MNPT | 41.45 |
| DHN2L-1240X-14 | DISS Hex Nut Female Oxygen x 1/4" MNPT (no o-ring), 1.5" Long | 20.32 |
| DHNSC-1240 | DISS Hex Nut Female Swivel Chain Oxygen x Tapped Hose Barb | 21.19 |
| DKN-1040 | DISS Knurled Nut Female Nitrous Oxide | 11.41 |
| DKN-1080 | DISS Knurled Nut Female Carbon Dioxide | 13.26 |
| DKN-1120 | DISS Knurled Nut Female Nitrogen | 11.41 |
| DKN-1160 | DISS Knurled Nut Female Medical Air | 11.41 |
| DKN-1160BW | DISS Knurled Nut Female Medical Air (ISO Black/White) | 13.58 |
| DKN-1220 | DISS Knurled Nut Female Vacuum (Suction) | 11.41 |
| DKN-1220Y | DISS Knurled Nut Female Vacuum (Suction) (ISO Yellow) | 13.26 |
| DKN-1240 | DISS Knurled Nut Female Oxygen | 7.87 |
| DKN-1240W | DISS Knurled Nut Female Oxygen (ISO White) | 9.17 |
| DKN-2220 | DISS Knurled Nut Female WAGD (EVAC) | 20.87 |
| DKN1-1040-HB-4 | DISS Knurled Nut Male Nitrous Oxide x 1/4" Hose Barb | 39.82 |
| DKN1-1080-HB-4 | DISS Knurled Nut Male Carbon Dioxide x 1/4" Hose Barb | 45.13 |
| DKN1-1120-HB-4 | DISS Knurled Nut Male Nitrogen x 1/4" Hose Barb | 45.71 |
| DKN1-1160-HB-4 | DISS Knurled Nut Male Medical Air x 1/4" Hose Barb | 39.56 |
| DKN1-1220-HB-4 | DISS Knurled Nut Male Vacuum (Suction) x 1/4" Hose Barb | 39.56 |
| DKN1-1220-HB-5 | DISS Knurled Nut Male Vacuum (Suction) x 5/16" Hose Barb | 55.12 |
| DKN1-1240-HB-4 | DISS Knurled Nut Male Oxygen x 1/4" Hose Barb | 34.08 |
| DKN1-1240W-HB-4 | DISS Knurled Nut Male Oxygen x 1/4" Hose Barb (ISO White) | 37.12 |
| DKN1-2080-HB-4 | DISS Knurled Nut Male Instrument Air x 1/4" Hose Barb | 54.74 |
| DKN1-2220-HB-4 | DISS Knurled Nut Male WAGD (EVAC) x 1/4" Hose Barb | 54.22 |
| DKN1-2220-HB-5 | DISS Knurled Nut Male WAGD (EVAC) x 5/16" Hose Barb | 62.43 |
| DKN2-1040-12 | DISS Knurled Nut Female Nitrous Oxide x 1/8" MNPT | 26.33 |
| DKN2-1040-14 | DISS Knurled Nut Female Nitrous Oxide x 1/4" MNPT | 30.56 |
| DKN2-1040-HB-4 | DISS Knurled Nut Female Nitrous Oxide x 1/4" Hose Barb | 27.37 |
| DKN2-1040-Y-DCV | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Check Valve x 1/4" MNPT Nitrous Oxide | 123.91 |
| DKN2-1040-Y-DF | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Nitrous Oxide | 121.27 |
| DKN2-1080-12 | DISS Knurled Nut Female Carbon Dioxide x 1/8" MNPT | 34.57 |
| DKN2-1080-14 | DISS Knurled Nut Female Carbon Dioxide x 1/4" MNPT | 34.63 |
| DKN2-1080-HB-4 | DISS Knurled Nut Female Carbon Dioxide x 1/4" Hose Barb | 32.19 |
| DKN2-1080-Y-DCV | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Check Valve x 1/4" MNPT Carbon Dioxid | 136.48 |
| DKN2-1120-12 | DISS Knurled Nut Female Nitrogen x 1/8" MNPT | 27.60 |

| Min std package | Flotec Part number can not be more than 15 spaces | |
|------------------|---|--------|
| Call for pricing | 123456789012345 | |
| Perferred Source | | |
| DKN2-1120-14 | DISS Knurled Nut Female Nitrogen x 1/4" MNPT | 28.27 |
| DKN2-1120-HB-4 | DISS Knurled Nut Female Nitrogen x 1/4" Hose Barb | 27.66 |
| DKN2-1120-Y-DCV | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Check Valve x 1/4" MNPT Nitrogen | 124.34 |
| DKN2-1120-Y-DF | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Nitrogen | 120.95 |
| DKN2-1160-12 | DISS Knurled Nut Female Medical Air x 1/8" MNPT | 25.14 |
| DKN2-1160-14 | DISS Knurled Nut Female Medical Air x 1/4" MNPT | 28.82 |
| DKN2-1160-HB-4 | DISS Knurled Nut Female Medical Air x 1/4" Hose Barb | 24.90 |
| DKN2-1160-Y-DCV | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Check Valve x 1/4" MNPT Medical Air | 116.16 |
| DKN2-1160-Y-DF | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Medical Air | 111.40 |
| DKN2-1160B-12 | DISS Knurled Nut Female Medical Air x 1/8" MNPT (ISO Black/White) | 31.55 |
| DKN2-1160B-14 | DISS Knurled Nut Female Medical Air x 1/4" MNPT (ISO Black/White) | 32.19 |
| DKN2-1160B-HB-4 | DISS Knurled Nut Female Medical Air x 1/4" Hose Barb (ISO Black/White) | 28.24 |
| DKN2-1220-12 | DISS Knurled Nut Female Vacuum (Suction) x 1/8" MNPT | 25.11 |
| DKN2-1220-14 | DISS Knurled Nut Female Vacuum (Suction) x 1/4" MNPT | 28.79 |
| DKN2-1220-HB-4 | DISS Knurled Nut Female Vacuum (Suction) x 1/4" Hose Barb | 24.26 |
| DKN2-1220-HB-5 | DISS Knurled Nut Female Vacuum (Suction) x 5/16" Hose Barb | 28.47 |
| DKN2-1220-Y-DCV | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Check Valve x 1/4" MNPT Vacuum (Suc | 116.16 |
| DKN2-1220-Y-DF | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Vacuum (Suction) | 111.40 |
| DKN2-1220Y-12 | DISS Knurled Nut Female Vacuum (Suction) x 1/8" MNPT (ISO Yellow) | 35.96 |
| DKN2-1220Y-14 | DISS Knurled Nut Female Vacuum (Suction) x 1/4" MNPT (ISO Yellow) | 33.06 |
| DKN2-1220Y-HB-4 | DISS Knurled Nut Female Vacuum (Suction) x 1/4" Hose Barb (ISO Yellow) | 28.53 |
| DKN2-1220Y-HB-5 | DISS Knurled Nut Female Vacuum (Suction) x 5/16" Hose Barb (ISO Yellow) | 34.16 |
| DKN2-1240-12 | DISS Knurled Nut Female Oxygen x 1/8" MNPT | 17.21 |
| DKN2-1240-12L15 | DISS Knurled Nut Female Oxygen x 1/8" MNPT, 1.5" Long | 18.02 |
| DKN2-1240-14L15 | DISS Knurled Nut Female Oxygen x 1/4" MNPT, 1.5" Long | 19.82 |
| DKN2-1240-HB-4 | DISS Knurled Nut Female Oxygen x 1/4" Hose Barb | 13.90 |
| DKN2-1240-Y-DCV | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Check Valve x 1/4" MNPT Oxygen | 77.15 |
| DKN2-1240-Y-DF | Y-Block DISS Knurled Nut Female x 1/8" MNPT x 2 - DISS Fitting x 1/4" MNPT Oxygen | 57.50 |
| DKN2-1240W-12 | DISS Knurled Nut Female Oxygen x 1/8" MNPT (ISO White) | 23.10 |
| DKN2-1240W-12L | DISS Knurled Nut Female Oxygen x 1/8" MNPT, 1.5" Long (ISO White) | 19.82 |
| DKN2-1240W-HB-4 | DISS Knurled Nut Female Oxygen x 1/4" Hose Barb (ISO White) | 14.48 |
| DKN2-2080-12 | DISS Knurled Nut Female Instrument Air x 1/8" MNPT | 21.48 |
| DKN2-2080-14 | DISS Knurled Nut Female Instrument Air x 1/4" MNPT | 48.67 |
| DKN2-2080-HB-4 | DISS Knurled Nut Female Instrument Air x 1/4" Hose Barb | 42.64 |
| DKN2-2220-12 | DISS Knurled Nut Female WAGD (EVAC) x 1/8" MNPT | 42.58 |
| DKN2-2220-14 | DISS Knurled Nut Female WAGD (EVAC) x 1/4" MNPT | 39.72 |
| DKN2-2220-14 | DISS Knurled Nut Female WAGD (EVAC) x 1/4" MNPT | 53.49 |
| DKN2-2220-HB-4 | DISS Knurled Nut Female WAGD (EVAC) x 1/4" Hose Barb | 41.16 |
| DKN2-2220-HB-5 | DISS Knurled Nut Female WAGD (EVAC) x 5/16" Hose Barb | 42.58 |
| DKN2-2280-12 | DISS Knurled Nut Female Instrument Air x 1/8" MNPT | 39.62 |
| DKNP-1240B | DISS Knurled Nut Female Plastic x Hose Barb (Black) | 1.51 |
| DKNP-1240G | DISS Knurled Nut Female Plastic x Hose Barb (Green) (each price, pack of 50) | 1.42 |
| DKNP-1240W | DISS Knurled Nut Female Plastic x Hose Barb (White) (each price, pack of 50) | 1.50 |
| DKNP-1240Y | DISS Knurled Nut Female Plastic x Hose Barb (Yellow) | 1.51 |
| DKNSC-1240 | DISS Knurled Nut Female Swivel Chain Oxygen x Tapped Hose Barb | 21.80 |
| DKNSC-1240W | DISS Knurled Nut Female Swivel Chain Oxygen x Tapped Hose Barb (ISO White) | 23.63 |
| DN-1020-HB-4 | DISS Nipple Medical Mixtures x 1/4" Hose Barb | 9.15 |
| DN-1040-12 | DISS Nipple Nitrous Oxide x 1/8" MNPT | 12.80 |
| DN-1040-14 | DISS Nipple Nitrous Oxide x 1/4" MNPT | 14.63 |
| DN-1040-HB-3 | DISS Nipple Nitrous Oxide x 3/16" Hose Barb | |
| DN-1040-HB-4 | DISS Nipple Nitrous Oxide x 1/4" Hose Barb | 9.84 |
| DN-1040X-12 | DISS Nipple Nitrous Oxide x 1/8" MNPT (no o-ring) | 11.78 |
| DN-1040X-14 | DISS Nipple Nitrous Oxide x 1/4" MNPT (no o-ring) | 13.41 |
| DN-1040X-HB-3 | DISS Nipple Nitrous Oxide x 3/16" Hose Barb (no o-ring) | |
| DN-1040X-HB-4 | DISS Nipple Nitrous Oxide x 1/4" Hose Barb (no o-ring) | 9.35 |
| DN-1060-12 | DISS Nipple He > 80% - Oxygen mixture x 1/8" MNPT | 22.09 |
| DN-1060-HB-4 | DISS Nipple He > 80% - Oxygen mixture x 1/4" Hose Barb | 16.92 |
| DN-1060X-12 | DISS Nipple He > 80% - Oxygen mixture x 1/8" MNPT (no o-ring) | 20.58 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|----------------|---|-------|
| DN-1060X-HB-4 | DISS Nipple He > 80% - Oxygen mixture x 1/4" Hose Barb (no o-ring) | 15.99 |
| DN-1080-12 | DISS Nipple Carbon Dioxide x 1/8" MNPT | 15.41 |
| DN-1080-14 | DISS Nipple Carbon Dioxide x 1/4" MNPT | 15.99 |
| DN-1080-HB-4 | DISS Nipple Carbon Dioxide x 1/4" Hose Barb | 14.16 |
| DN-1080X-12 | DISS Nipple Carbon Dioxide x 1/8" MNPT (no o-ring) | 14.51 |
| DN-1080X-14 | DISS Nipple Carbon Dioxide x 1/4" MNPT (no o-ring) | 15.09 |
| DN-1080X-HB-4 | DISS Nipple Carbon Dioxide x 1/4" Hose Barb (no o-ring) | 13.26 |
| DN-1120-12 | DISS Nipple Nitrogen x 1/8" MNPT | 14.34 |
| DN-1120-14 | DISS Nipple Nitrogen x 1/4" MNPT | 15.12 |
| DN-1120-HB-4 | DISS Nipple Nitrogen x 1/4" Hose Barb | 12.19 |
| DN-1120X-12 | DISS Nipple Nitrogen x 1/8" MNPT (no o-ring) | 13.32 |
| DN-1120X-14 | DISS Nipple Nitrogen x 1/4" MNPT (no o-ring) | 13.87 |
| DN-1120X-HB-4 | DISS Nipple Nitrogen x 1/4" Hose Barb (no o-ring) | 11.44 |
| DN-1160-12 | DISS Nipple Medical Air x 1/8" MNPT | 13.00 |
| DN-1160-14 | DISS Nipple Medical Air x 1/4" MNPT | 12.71 |
| DN-1160-HB-3 | DISS Nipple Medical Air x 3/16" Hose Barb | |
| DN-1160-HB-4 | DISS Nipple Medical Air x 1/4" Hose Barb | 10.51 |
| DN-1160X-12 | DISS Nipple Medical Air x 1/8" MNPT (no o-ring) | 11.78 |
| DN-1160X-14 | DISS Nipple Medical Air x 1/4" MNPT (no o-ring) | 11.17 |
| DN-1160X-HB-3 | DISS Nipple Medical Air x 3/16" Hose Barb (no o-ring) | |
| DN-1160X-HB-4 | DISS Nipple Medical Air x 1/4" Hose Barb (no o-ring) | 9.90 |
| DN-1180-12 | DISS Nipple He <= 80% - Oxygen mixture x 1/8" MNPT | 18.49 |
| DN-1180-HB-4 | DISS Nipple He <= 80% - Oxygen mixture x 1/4" Hose Barb | 14.72 |
| DN-1180X-12 | DISS Nipple He <= 80% - Oxygen mixture x 1/8" MNPT (no o-ring) | 17.68 |
| DN-1180X-HB-4 | DISS Nipple He <= 80% - Oxygen mixture x 1/4" Hose Barb (no o-ring) | 13.76 |
| DN-1200-HB-4 | DISS Nipple Carbon Dioxide <= 80% - Oxygen mixture x 1/4" Hose Barb | 17.45 |
| DN-1200X-HB-4 | DISS Nipple Carbon Dioxide <= 80% - Oxygen mixture x 1/4" Hose Barb (no o-ring) | 28.84 |
| DN-1220-12 | DISS Nipple Vacuum (Suction) x 1/8" MNPT | 12.95 |
| DN-1220-14 | DISS Nipple Vacuum (Suction) x 1/4" MNPT | 14.77 |
| DN-1220-HB-4 | DISS Nipple Vacuum (Suction) x 1/4" Hose Barb | 12.28 |
| DN-1220-HB-5 | DISS Nipple Vacuum (Suction) x 5/16" Hose Barb | 13.47 |
| DN-1220X-12 | DISS Nipple Vacuum (Suction) x 1/8" MNPT (no o-ring) | 12.05 |
| DN-1220X-14 | DISS Nipple Vacuum (Suction) x 1/4" MNPT (no o-ring) | 13.73 |
| DN-1220X-HB-4 | DISS Nipple Vacuum (Suction) x 1/4" Hose Barb (no o-ring) | 11.38 |
| DN-1220X-HB-5 | DISS Nipple Vacuum (Suction) x 5/16" Hose Barb (no o-ring) | 12.77 |
| DN-1240-12 | DISS Nipple Oxygen x 1/8" MNPT | 10.42 |
| DN-1240-12L15 | DISS Nipple Oxygen x 1/8" MNPT, 1.5" Long | 9.06 |
| DN-1240-HB-3 | DISS Nipple Oxygen x 3/16" Hose Barb | 6.07 |
| DN-1240-HB-3S | DISS Nipple Oxygen x 3/16" Hose Barb Short | |
| DN-1240-HB-4 | DISS Nipple Oxygen x 1/4" Hose Barb | 4.67 |
| DN-1240-HB-6 | DISS Nipple Oxygen x 3/8" Hose Barb | 10.57 |
| DN-1240-HBG-4 | DISS Nipple Oxygen x 1/4" Hose Barb w/ retaining groove | 8.07 |
| DN-1240X-12 | DISS Nipple Oxygen x 1/8" MNPT (no o-ring) | 9.64 |
| DN-1240X-12L15 | DISS Nipple Oxygen x 1/8" MNPT, 1.5" Long (no o-ring) | 7.95 |
| DN-1240X-HB-3 | DISS Nipple Oxygen x 3/16" Hose Barb (no o-ring) | 5.05 |
| DN-1240X-HB-4 | DISS Nipple Oxygen x 1/4" Hose Barb (no o-ring) | 4.27 |
| DN-1240X-HBG-4 | DISS Nipple Oxygen x 1/4" Hose Barb w/ retaining groove (no o-ring) | 7.37 |
| DN-2080-12 | DISS Nipple Instrument Air x 1/8" MNPT | 24.61 |
| DN-2080-14 | DISS Nipple Instrument Air x 1/4" MNPT | 25.08 |
| DN-2080-HB-4 | DISS Nipple Instrument Air x 1/4" Hose Barb | 19.04 |
| DN-2080X-12 | DISS Nipple Instrument Air x 1/8" MNPT (no o-ring) | 23.71 |
| DN-2080X-14 | DISS Nipple Instrument Air x 1/4" MNPT (no o-ring) | 24.18 |
| DN-2080X-HB-4 | DISS Nipple Instrument Air x 1/4" Hose Barb (no o-ring) | 17.82 |
| DN-2220-12 | DISS Nipple WAGD (EVAC) x 1/8" MNPT | 26.85 |
| DN-2220-14 | DISS Nipple WAGD (EVAC) x 1/4" MNPT | 28.21 |
| DN-2220-HB-4 | DISS Nipple WAGD (EVAC) x 1/4" Hose Barb | 16.40 |
| DN-2220-HB-5 | DISS Nipple WAGD (EVAC) x 5/16" Hose Barb | 19.82 |
| DN-2220X-12 | DISS Nipple WAGD (EVAC) x 1/8" MNPT (no o-ring) | 25.31 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|---------------|---|-------|
| DN-2220X-14 | DISS Nipple WAGD (EVAC) x 1/4" MNPT (no o-ring) | 26.96 |
| DN-2220X-HB-4 | DISS Nipple WAGD (EVAC) x 1/4" Hose Barb (no o-ring) | 14.86 |
| DN-2220X-HB-5 | DISS Nipple WAGD (EVAC) x 5/16" Hose Barb (no o-ring) | 18.29 |
| DOR-1020 | DISS O-ring Replacement Medical Mixtures (each price, pack of 10) | 0.97 |
| DOR-1040 | DISS O-ring Replacement Nitrous Oxide (each price, pack of 10) | 1.13 |
| DOR-1060 | DISS O-ring Replacement He > 80% - Oxygen mixture (each price, pack of 10) | 1.13 |
| DOR-1080 | DISS O-ring Replacement Carbon Dioxide (each price, pack of 10) | 1.13 |
| DOR-1120 | DISS O-ring Replacement Nitrogen (each price, pack of 10) | 1.13 |
| DOR-1160 | DISS O-ring Replacement Medical Air (each price, pack of 10) | 1.13 |
| DOR-1180 | DISS O-ring Replacement He <= 80% - Oxygen mixture x 1/8" MNPT (each price, pack of 10) | 1.13 |
| DOR-1200 | DISS O-ring Replacement Carbon Dioxide <= 7% - Oxygen mixture (each price, pack of 10) | |
| DOR-1220 | DISS O-ring Replacement Vacuum (Suction) (each price, pack of 10) | 1.13 |
| DOR-1240 | DISS O-ring Replacement Oxygen (each price, pack of 10) | 1.13 |
| DOR-2080 | DISS O-ring Replacement Instrument Air (each price, pack of 10) | 1.13 |
| DOR-2220 | DISS O-ring Replacement WAGD (EVAC) (each price, pack of 10) | |
| DOR-2220 | DISS O-ring Replacement Vacuum (Suction) (each price, pack of 10) | 1.13 |
| DOW-1040 | DISS One Way Check Valve Nitrous Oxide x 1/8" MNPT | 33.35 |
| DOW-1040-4 | DISS One Way Check Valve Nitrous Oxide x 1/4" MNPT | 33.44 |
| DOW-1120-4 | DISS One Way Check Valve Nitrogen x 1/4" MNPT | 34.80 |
| DOW-1160 | DISS One Way Check Valve Medical Air x 1/8" MNPT | 34.63 |
| DOW-1160-4 | DISS One Way Check Valve Medical Air x 1/4" MNPT | 32.77 |
| DOW-1240 | DISS One Way Check Valve Oxygen x 1/8" MNPT | 24.00 |
| DOW-1240-4 | DISS One Way Check Valve Oxygen x 1/4" MNPT | 27.23 |
| DOW-14-14 | DISS One Way Check Valve 1/4" MNPT x 1/4" MNPT | 32.77 |
| DOW-14-24 | DISS One Way Check Valve (from 1/4" MNPT x to 1/4" FNPT) | 39.36 |
| DOW-24-14 | DISS One Way Check Valve (from 1/4" FNPT x to 1/4" MNPT) | 33.26 |
| DRR-1000 | DISS Nut Retaining Ring | 0.40 |
| DRR-1240 | DISS Nut Snap Ring | 0.65 |
| DRR-2000 | DISS Nut Retaining Ring | 0.54 |
| DRR-3000 | DISS Nut Snap Ring | |
| DRR-4000 | DISS Nut Snap Ring | |
| DWN-1240 | DISS Wing Nut Oxygen | 8.30 |
| HC-1040 | Hose Conductive Nitrous Oxide (Blue) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-1040-50 | Hose Conductive Nitrous Oxide (Blue) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-1080 | Hose Conductive Carbon Dioxide (Greg) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-1080-50 | Hose Conductive Carbon Dioxide (Greg) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-1120 | Hose Conductive Nitrogen (Black) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-1120-50 | Hose Conductive Nitrogen (Black) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-1160 | Hose Conductive Medical Air (Yellow) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-1160-50 | Hose Conductive Medical Air (Yellow) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-1160BW | Hose Conductive Medical Air (ISO Black/White) x 1/4" ID (foot price, roll of 250) | 3.27 |
| HC-1160BW-50 | Hose Conductive Medical Air (ISO Black/White) x 1/4" ID (foot price, coil of 50) | 4.56 |
| HC-1220 | Hose Conductive Vacuum (Suction) (White) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-1220 | Hose Conductive Vacuum (Suction) (White) x 5/16" ID (foot price, roll of 250) | 3.27 |
| HC-1220-5-50 | Hose Conductive Vacuum (Suction) (White) x 5/16" ID (foot price, coil of 50) | 4.56 |
| HC-1220-50 | Hose Conductive Vacuum (Suction) (White) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-1240 | Hose Conductive Oxygen (Green) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-1240-50 | Hose Conductive Oxygen (Green) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-2080 | Hose Conductive Instrument Air (Red) x 1/4" ID (foot price, roll of 250) | 2.75 |
| HC-2080-50 | Hose Conductive Instrument Air (Red) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HC-2220 | Hose Conductive WAGD (EVAC) (Purple) x 1/4" ID (foot price, roll of 250) | 2.84 |
| HC-2220-5-50 | Hose Conductive WAGD (EVAC) (Purple) x 5/16" ID (foot price, coil of 50) | 4.56 |
| HC-2220-50 | Hose Conductive WAGD (EVAC) (Purple) x 1/4" ID (foot price, coil of 50) | 4.16 |
| HF-330 | Ferrule 0.330" x 0.500" (each price, pack of 50) | |
| HF-358 | Ferrule 0.358" x 0.500" (each price, pack of 50) | 1.33 |
| HF-380 | Ferrule 0.380" x 0.500" (each price, pack of 50) | 0.91 |
| HF-410 | Ferrule 0.410" x 0.500" (each price, pack of 50) | 1.33 |
| HF-450 | Ferrule 0.450" x 0.563" (each price, pack of 50) | 0.85 |

Min std package Flotec Part number can not be more than 15 spaces
 Call for pricing 123456789012345
 Preferred Source

| | | |
|-------------|---|--------|
| HF-478 | Ferrule 0.478" x 0.688" (each price, pack of 50) | 0.91 |
| HF-500 | Ferrule 0.500" x 0.625" (each price, pack of 50) | 0.85 |
| HF-525 | Ferrule 0.525" x 0.625" (each price, pack of 50) | 0.85 |
| HF-548 | Ferrule 0.548" x 0.484" (each price, pack of 50) | 1.33 |
| HF-564 | Ferrule 0.564" x 0.750" (each price, pack of 50) | 1.33 |
| HF-575 | Ferrule 0.575" x 0.484" (each price, pack of 50) | 1.33 |
| HH22-4-4-18 | High Pressure Hose 1/4" FNPT x 1/4" FNPT, 18" OAL | 117.00 |
| HH22-4-4-24 | High Pressure Hose 1/4" FNPT x 1/4" FNPT, 24" OAL | 126.87 |
| HH22-4-4-36 | High Pressure Hose 1/4" FNPT x 1/4" FNPT, 36" OAL | 146.46 |
| HH22-4-4-48 | High Pressure Hose 1/4" FNPT x 1/4" FNPT, 48" OAL | 166.17 |
| HH320-18 | High Pressure Hose F Hex Nut CGA320 x F Hex Nut CGA320, 18" OAL | 194.44 |
| HH320-24 | High Pressure Hose F Hex Nut CGA320 x F Hex Nut CGA320, 24" OAL | 203.20 |
| HH320-36 | High Pressure Hose F Hex Nut CGA320 x F Hex Nut CGA320, 36" OAL | 220.65 |
| HH320-48 | High Pressure Hose F Hex Nut CGA320 x F Hex Nut CGA320, 48" OAL | 238.82 |
| HH326-18 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA326, 18" OAL | 192.78 |
| HH326-24 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA326, 24" OAL | 198.71 |
| HH326-36 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA326, 36" OAL | 216.15 |
| HH326-48 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA326, 48" OAL | 234.29 |
| HH346-18 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA346, 18" OAL | 183.64 |
| HH346-24 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA346, 24" OAL | 192.44 |
| HH346-36 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA346, 36" OAL | 209.85 |
| HH346-48 | High Pressure Hose F Hex Nut CGA326 x F Hex Nut CGA346, 48" OAL | 228.02 |
| HH540-18 | High Pressure Hose F Hex Nut CGA540 x F Hex Nut CGA540, 18" OAL | |
| HH540-24 | High Pressure Hose F Hex Nut CGA540 x F Hex Nut CGA540, 24" OAL | |
| HH540-36 | High Pressure Hose F Hex Nut CGA540 x F Hex Nut CGA540, 36" OAL | |
| HH540-48 | High Pressure Hose F Hex Nut CGA540 x F Hex Nut CGA540, 48" OAL | |
| HH580-18 | High Pressure Hose F Hex Nut CGA580 x F Hex Nut CGA580, 18" OAL | 181.41 |
| HH580-24 | High Pressure Hose F Hex Nut CGA580 x F Hex Nut CGA580, 24" OAL | 190.17 |
| HH580-36 | High Pressure Hose F Hex Nut CGA580 x F Hex Nut CGA580, 36" OAL | 207.62 |
| HH580-48 | High Pressure Hose F Hex Nut CGA580 x F Hex Nut CGA580, 48" OAL | 225.76 |
| HHCV320-18 | High Pressure Hose Inlet Check Valve F Hex Nut CGA320 x F Hex Nut CGA320, 18" OAL | 228.51 |
| HHCV320-24 | High Pressure Hose Inlet Check Valve F Hex Nut CGA320 x F Hex Nut CGA320, 24" OAL | 237.28 |
| HHCV320-36 | High Pressure Hose Inlet Check Valve F Hex Nut CGA320 x F Hex Nut CGA320, 36" OAL | 254.72 |
| HHCV320-48 | High Pressure Hose Inlet Check Valve F Hex Nut CGA320 x F Hex Nut CGA320, 48" OAL | 272.89 |
| HHCV326-18 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA326, 18" OAL | 224.01 |
| HHCV326-24 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA326, 24" OAL | 232.78 |
| HHCV326-36 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA326, 36" OAL | 250.22 |
| HHCV326-48 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA326, 48" OAL | |
| HHCV346-18 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA346, 18" OAL | 217.72 |
| HHCV346-24 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA346, 24" OAL | 226.51 |
| HHCV346-36 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA346, 36" OAL | 243.93 |
| HHCV346-48 | High Pressure Hose Inlet Check Valve F Hex Nut CGA326 x F Hex Nut CGA346, 48" OAL | 262.10 |
| HHCV580-18 | High Pressure Hose Inlet Check Valve F Hex Nut CGA580 x F Hex Nut CGA580, 18" OAL | 215.48 |
| HHCV580-24 | High Pressure Hose Inlet Check Valve F Hex Nut CGA580 x F Hex Nut CGA580, 24" OAL | 230.40 |
| HHCV580-36 | High Pressure Hose Inlet Check Valve F Hex Nut CGA580 x F Hex Nut CGA580, 36" OAL | 241.75 |
| HHCV580-48 | High Pressure Hose Inlet Check Valve F Hex Nut CGA580 x F Hex Nut CGA580, 48" OAL | 259.83 |
| HHI320-36 | High Pressure Hose Insufflator F Hex Nut CGA320 x F Hex Nut CGA320, 36" OAL | 149.13 |
| HNC-1040 | Hose Non-Conductive Nitrous Oxide (Blue) x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNC-1040-50 | Hose Non-Conductive Nitrous Oxide (Blue) x 1/4" ID (foot price, coil of 50) | 3.02 |
| HNC-1120 | Hose Non-Conductive Nitrogen (Black) x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNC-1120-50 | Hose Non-Conductive Nitrogen (Black) x 1/4" ID (foot price, coil of 50) | 3.02 |
| HNC-1160 | Hose Non-Conductive Medical Air (Yellow) x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNC-1160-50 | Hose Non-Conductive Medical Air (Yellow) x 1/4" ID (foot price, coil of 50) | 3.02 |
| HNC-1220 | Hose Non-Conductive Vacuum (Suction) (White) x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNC-1220-50 | Hose Non-Conductive Vacuum (Suction) (White) x 1/4" ID (foot price, coil of 50) | 3.02 |
| HNC-1240 | Hose Non-Conductive Oxygen (Green) x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNC-1240-50 | Hose Non-Conductive Oxygen (Green) x 1/4" ID (foot price, coil of 50) | 3.02 |
| HNC-2080 | Hose Non-Conductive Instrument Air (Red) x 1/4" ID (foot price, roll of 250) | |

Min std package Flotec Part number can not be more than 15 spaces
 Call for pricing 123456789012345
 Preferred Source

| | | |
|-----------------|---|--------|
| HNC-2220 | Hose Non-Conductive WAGD (EVAC) (Purple) x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNC-2220-50 | Hose Non-Conductive WAGD (EVAC) (Purple) x 1/4" ID (foot price, coil of 50) | 3.02 |
| HNCWB-1240 | Hose Clear w/White Braid Oxygen x 1/4" ID (foot price, roll of 250) | 1.43 |
| HNCWB-1240-5 | Hose Clear w/White Braid Oxygen x 5/16" ID (foot price, roll of 250) | 2.57 |
| HNCWB-1240-5-50 | Hose Clear w/White Braid Oxygen x 5/16" ID (foot price, coil of 50) | 4.16 |
| HNCWB-1240-50 | Hose Clear w/White Braid Oxygen x 1/4" ID (foot price, coil of 50) | 3.02 |
| HR-1240-3-650 | Hose Rubber Oxygen (Green) x 3/16" ID (foot price, roll of 650) | 4.40 |
| HR-1240-4 | Hose Rubber Oxygen (Green) x 1/4" ID (foot price, roll of 250) | |
| HRT-1000 | Hose Retractor | 114.53 |
| HT540-20 | High Pressure Tube F Hex Nut 540 x F Hex Nut 540, 20" OAL | |
| LD-8 | Leak Detection Fluid (8 oz.) MIL-L-255 | |
| ND-65-QDC1-HB | Neb Drive 6-7 LPM Quick Disconnect Chemetron Oxygen x 1/4" Hose Barb | |
| ND-65-QDO1-HB | Neb Drive 6-7 LPM Quick Disconnect Ohio Oxygen x 1/4" Hose Barb | |
| ND-65-QDP1-HB | Neb Drive 6-7 LPM Quick Disconnect Puritan Oxygen x 1/4" Hose Barb | |
| ND-75-QDC1-HB | Neb Drive 7-8 LPM Quick Disconnect Chemetron Oxygen x 1/4" Hose Barb | |
| ND-75-QDO1-HB | Neb Drive 7-8 LPM Quick Disconnect Ohio Oxygen x 1/4" Hose Barb | |
| ND-75-QDP1-HB | Neb Drive 7-8 LPM Quick Disconnect Puritan Oxygen x 1/4" Hose Barb | |
| PTO-DCV1160 | Power Take-Off x DISS Check Valve Medical Air | 28.27 |
| PTO-DCV1240 | Power Take-Off x DISS Check Valve Oxygen | 39.85 |
| PTOL-DCV1160 | Power Take-Off Long x DISS Check Valve Medical Air | |
| PTOL-DCV1240 | Power Take-Off Long x DISS Check Valve Oxygen | |
| PVWM | Post Valve Wrench, Metal | |
| PVWP | Post Valve Wrench, Polycarbonate (each price, pack of 10) | 1.87 |
| PVWP-06CC | Post Valve Wrench, Polycarbonate w/6" Chain & Clip (each price, pack of 10) | 3.55 |
| PVWP-12CC | Post Valve Wrench, Polycarbonate w/12" Chain & Clip (each price, pack of 10) | 5.67 |
| PVWP-4L | Post Valve Wrench, Polycarbonate w/4" Loop Chain (each price, pack of 10) | 3.55 |
| QDA1-12 | Quick Disconnect Male Ohio Medical Air x 1/8" MNPT | 36.66 |
| QDA1-14 | Quick Disconnect Male Ohio Medical Air x 1/4" MNPT | 39.33 |
| QDA1-22 | Quick Disconnect Male Ohio Medical Air x 1/8" FNPT | 38.52 |
| QDA1-DCV1160 | Quick Disconnect Male Ohio Medical Air x DISS Check Valve | 57.21 |
| QDA1-DF1080 | Quick Disconnect Male Ohio Carbon Dioxide x DISS Fitting | 108.52 |
| QDA1-DF1160 | Quick Disconnect Male Ohio Medical Air x DISS Fitting | 47.75 |
| QDA1-HB-4 | Quick Disconnect Male Ohio Medical Air x 1/4" Hose Barb | 39.88 |
| QDA1-HN1160 | Quick Disconnect Male Ohio Medical Air x Hex Nut Female | 49.28 |
| QDA1-KN1160 | Quick Disconnect Male Ohio Medical Air x Knurled Nut Female | 54.71 |
| QDA1-TC-QDA2-14 | T-Block Center Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Medical Air | 327.72 |
| QDA1-TL-QDA2-14 | T-Block Left Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Medical Air | 327.72 |
| QDA1-TR-QDA2-14 | T-Block Right Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Medical Air | 327.72 |
| QDA1-Y-QDA2-14 | Y-Block Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Medical Air | 249.44 |
| QDA1B-12 | Quick Disconnect Male Ohio Medical Air x 1/8" MNPT (ISO Black/White) | 42.67 |
| QDA1B-22 | Quick Disconnect Male Ohio Medical Air x 1/8" FNPT (ISO Black/White) | 40.61 |
| QDA1B-HB-4 | Quick Disconnect Male Ohio Medical Air x 1/4" Hose Barb (ISO Black/White) | 44.81 |
| QDA2-12 | Quick Disconnect Female Ohio Medical Air x 1/8" MNPT | 93.11 |
| QDA2-14 | Quick Disconnect Female Ohio Medical Air x 1/4" MNPT | 93.87 |
| QDA2-22 | Quick Disconnect Female Ohio Medical Air x 1/8" FNPT | 82.75 |
| QDA2-DF1160 | Quick Disconnect Female Ohio Medical Air x DISS Fitting | 98.74 |
| QDA2-HB-4 | Quick Disconnect Female Ohio Medical Air x 1/4" Hose Barb | 88.85 |
| QDA2-HN1160 | Quick Disconnect Female Ohio Medical Air x Hex Nut Female | 109.71 |
| QDA2-KN1160 | Quick Disconnect Female Ohio Medical Air x Knurled Nut Female | 115.95 |
| QDA2-WO | Quick Disconnect Female Ohio Medical Air x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pi | 96.53 |
| QDA5-12 | Quick Disconnect Male (NIST) European Hex Nut Vacuum (Suction) x 1/8" MNPT | 30.48 |
| QDA5-14 | Quick Disconnect Male (NIST) European Hex Nut Vacuum (Suction) x 1/4" MNPT | 30.48 |
| QDA5-HB-4 | Quick Disconnect Male (NIST) European Hex Nut Vacuum (Suction) x 1/4" Hose Barb | 36.57 |
| QDA6-12 | Quick Disconnect Male (NIST) European Hex Nut Oxygen x 1/8" MNPT | 30.48 |
| QDA6-14 | Quick Disconnect Male (NIST) European Hex Nut Oxygen x 1/4" MNPT | 30.48 |
| QDA6-HB-4 | Quick Disconnect Male (NIST) European Hex Nut Oxygen x 1/4" Hose Barb | 36.57 |
| QDA7-12 | Quick Disconnect Male (NIST) European Hex Nut Nitrous Oxide x 1/8" MNPT | 30.48 |
| QDA7-14 | Quick Disconnect Male (NIST) European Hex Nut Nitrous Oxide x 1/4" MNPT | 30.48 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|--|--------|
| QDA7-HB-4 | Quick Disconnect Male (NIST) European Hex Nut Nitrous Oxide x 1/4" Hose Barb | 36.57 |
| QDA8-12 | Quick Disconnect Male (NIST) European Hex Nut Medical Air x 1/8" MNPT | 30.48 |
| QDA8-14 | Quick Disconnect Male (NIST) European Hex Nut Medical Air x 1/4" MNPT | 30.48 |
| QDA8-HB-4 | Quick Disconnect Male (NIST) European Hex Nut Medical Air x 1/4" Hose Barb | 36.57 |
| QDB1-12 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x 1/8" MNPT | 51.64 |
| QDB1-14 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x 1/4" MNPT | 57.90 |
| QDB1-22 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x 1/8" FNPT | 46.18 |
| QDB1-DCV2220 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x DISS Check Valve | 99.06 |
| QDB1-DF2220 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x DISS Fitting | 76.22 |
| QDB1-HB-4 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x 1/4" Hose Barb | 64.93 |
| QDB1-HB-5 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x 5/16" Hose Barb | 71.58 |
| QDB1-HN2220 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x DISS Hex Nut Female | 88.15 |
| QDB1-KN2220 | Quick Disconnect Male Puritan Bennett WAGD (EVAC) x DISS Knurled Nut Female | 92.53 |
| QDB1-Y-QDB2-14 | Y-Block Male Puritan Bennet WAGD (EVAC) x 2 - Female Puritan Bennett | 376.86 |
| QDB2-12 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x 1/8" MNPT | 136.94 |
| QDB2-14 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x 1/4" MNPT | 154.59 |
| QDB2-22 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x 1/8" FNPT | 136.94 |
| QDB2-DF2220 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x DISS Fitting | 136.94 |
| QDB2-HB-4 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x 1/4" Hose Barb | 154.59 |
| QDB2-HB-5 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x 5/16" Hose Barb | 154.59 |
| QDB2-HN2220 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x Hex Nut Female | 136.94 |
| QDB2-KN2220 | Quick Disconnect Female Puritan Bennett WAGD (EVAC) x Knurled Nut Female | 136.94 |
| QDB5-12 | Quick Disconnect Male (BS) British Standard Vacuum (Suction) x 1/8" MNPT | 40.81 |
| QDB5-90-HB-4 | Quick Disconnect Male (BS) British Standard Vacuum (Suction) x 90 Elbow 1/4" Hose Barb | |
| QDB5-HB-4 | Quick Disconnect Male (BS) British Standard Vacuum (Suction) x 1/4" Hose Barb | |
| QDB5-HB-5 | Quick Disconnect Male (BS) British Standard Vacuum (Suction) x 5/16" Hose Barb | 39.15 |
| QDB6-12 | Quick Disconnect Male (BS) British Standard Oxygen x 1/8" MNPT | 38.11 |
| QDB6-90-HB-4 | Quick Disconnect Male (BS) British Standard Oxygen x 90 Elbow 1/4" Hose Barb | |
| QDB6-HB-4 | Quick Disconnect Male (BS) British Standard Oxygen x 1/4" Hose Barb | 45.36 |
| QDB7-12 | Quick Disconnect Male (BS) British Standard Nitrous Oxide x 1/8" MNPT | 41.16 |
| QDB7-90-HB-4 | Quick Disconnect Male (BS) British Standard Nitrous Oxide x 90 Elbow 1/4" Hose Barb | |
| QDB7-HB-4 | Quick Disconnect Male (BS) British Standard Nitrous Oxide x 1/4" Hose Barb | 45.36 |
| QDB8-12 | Quick Disconnect Male (BS) British Standard Medical Air x 1/8" MNPT | 39.62 |
| QDB8-90-HB-4 | Quick Disconnect Male (BS) British Standard Medical Air x 90 Elbow 1/4" Hose Barb | |
| QDB8-HB-4 | Quick Disconnect Male (BS) British Standard Medical Air x 1/4" Hose Barb | 45.36 |
| QDC1-12 | Quick Disconnect Male Chemetron Oxygen x 1/8" MNPT | 31.55 |
| QDC1-14 | Quick Disconnect Male Chemetron Oxygen x 1/4" MNPT | 35.93 |
| QDC1-22 | Quick Disconnect Male Chemetron Oxygen x 1/8" FNPT | 34.48 |
| QDC1-DCV1240 | Quick Disconnect Male Chemetron Oxygen x DISS Check Valve | 47.54 |
| QDC1-DF1240 | Quick Disconnect Male Chemetron Oxygen x DISS Fitting | 36.80 |
| QDC1-HB-4 | Quick Disconnect Male Chemetron Oxygen x 1/4" Hose Barb | 36.37 |
| QDC1-HN1240 | Quick Disconnect Male Chemetron Oxygen x Hex Nut Female | 41.07 |
| QDC1-KN1240 | Quick Disconnect Male Chemetron Oxygen x Knurled Nut Female | 45.22 |
| QDC1-TC-QDC2-14 | T-Block Center Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Oxygen | 301.69 |
| QDC1-TL-QDC2-14 | T-Block Left Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Oxygen | 301.69 |
| QDC1-TR-QDC2-14 | T-Block Right Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Oxygen | 301.69 |
| QDC1-Y-QDC2-14 | Y-Block Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Oxygen | 263.58 |
| QDC2-12 | Quick Disconnect Female Chemetron Oxygen x 1/8" MNPT | 84.81 |
| QDC2-14 | Quick Disconnect Female Chemetron Oxygen x 1/4" MNPT | 86.41 |
| QDC2-22 | Quick Disconnect Female Chemetron Oxygen x 1/8" FNPT | 84.81 |
| QDC2-DF1240 | Quick Disconnect Female Chemetron Oxygen x DISS Fitting | 85.65 |
| QDC2-HB-4 | Quick Disconnect Female Chemetron Oxygen x 1/4" Hose Barb | 87.63 |
| QDC2-HN1240 | Quick Disconnect Female Chemetron Oxygen x Hex Nut Female | 90.38 |
| QDC2-KN1240 | Quick Disconnect Female Chemetron Oxygen x Knurled Nut Female | 96.01 |
| QDC2-WO | Quick Disconnect Female Chemetron Oxygen x Wall Outlet w/ Face Plate and 1/2" OD tube rotating | 98.55 |
| QDC3-22 | Quick Disconnect Male Hansen Large Stainless Oxygen | 64.91 |
| QDC4-22 | Quick Disconnect Female Hansen Large Stainless Oxygen | 116.26 |
| QDC5-22 | Quick Disconnect Male Hansen Large Brass Oxygen | |

| | |
|-----------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
|-----------------|---|

| | |
|------------------|-----------------|
| Call for pricing | 123456789012345 |
|------------------|-----------------|

| | |
|------------------|--|
| Perferred Source | |
|------------------|--|

| | | |
|-----------------|---|--------|
| QDC6-22 | Quick Disconnect Female Hansen Large Brass Oxygen | |
| QDD1-12 | Quick Disconnect Male Chemetron Medical Air x 1/8" MNPT | 33.61 |
| QDD1-14 | Quick Disconnect Male Chemetron Medical Air x 1/4" MNPT | 42.93 |
| QDD1-22 | Quick Disconnect Male Chemetron Medical Air x 1/8" FNPT | 38.14 |
| QDD1-DCV1160 | Quick Disconnect Male Chemetron Medical Air x DISS Check Valve | 58.25 |
| QDD1-DF1160 | Quick Disconnect Male Chemetron Medical Air x DISS Fitting | 49.57 |
| QDD1-HB-4 | Quick Disconnect Male Chemetron Medical Air x 1/4" Hose Barb | 40.14 |
| QDD1-HN1160 | Quick Disconnect Male Chemetron Medical Air x Hex Nut Female | 52.13 |
| QDD1-KN1160 | Quick Disconnect Male Chemetron Medical Air x Knurled Nut Female | 58.25 |
| QDD1-TC-QDD2-14 | T-Block Center Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Medical Air | 301.69 |
| QDD1-TL-QDD2-14 | T-Block Left Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Medical Air | 301.69 |
| QDD1-TR-QDD2-14 | T-Block Right Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Medical Air | 301.69 |
| QDD1-Y-QDD2-14 | Y-Block Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Medical Air | 263.58 |
| QDD2-12 | Quick Disconnect Female Chemetron Medical Air x 1/8" MNPT | 86.09 |
| QDD2-14 | Quick Disconnect Female Chemetron Medical Air x 1/4" MNPT | 83.50 |
| QDD2-22 | Quick Disconnect Female Chemetron Medical Air x 1/8" FNPT | 82.00 |
| QDD2-DF1160 | Quick Disconnect Female Chemetron Medical Air x DISS Fitting | 86.87 |
| QDD2-HB-4 | Quick Disconnect Female Chemetron Medical Air x 1/4" Hose Barb | 86.55 |
| QDD2-HN1160 | Quick Disconnect Female Chemetron Medical Air x Hex Nut Female | 96.07 |
| QDD2-KN1160 | Quick Disconnect Female Chemetron Medical Air x Knurled Nut Female | 97.29 |
| QDD2-WO | Quick Disconnect Female Chemetron Medical Air x Wall Outlet w/ Face Plate and 1/2" OD tube rota | 98.55 |
| QDD5-12 | Quick Disconnect Female (NIST) European Hex Nut Vacuum (Suction) x 1/8" MNPT | 28.97 |
| QDD5-HB-4 | Quick Disconnect Female (NIST) European Hex Nut Vacuum (Suction) x 1/4" Hose Barb | 30.48 |
| QDD6-12 | Quick Disconnect Female (NIST) European Hex Nut Oxygen x 1/8" MNPT | 27.43 |
| QDD6-HB-4 | Quick Disconnect Female (NIST) European Hex Nut Oxygen x 1/4" Hose Barb | 28.97 |
| QDD7-12 | Quick Disconnect Female (NIST) European Hex Nut Nitrous Oxide x 1/8" MNPT | 30.48 |
| QDD7-HB-4 | Quick Disconnect Female (NIST) European Hex Nut Nitrous Oxide x 1/4" Hose Barb | 32.01 |
| QDD8-12 | Quick Disconnect Female (NIST) European Hex Nut Medical Air x 1/8" MNPT | 28.97 |
| QDD8-HB-4 | Quick Disconnect Female (NIST) European Hex Nut Medical Air x 1/4" Hose Barb | 30.48 |
| QDE1-12 | Quick Disconnect Male Chemetron WAGD (EVAC) x 1/8" MNPT | 72.88 |
| QDE1-14 | Quick Disconnect Male Chemetron WAGD (EVAC) x 1/4" MNPT | 84.64 |
| QDE1-22 | Quick Disconnect Male Chemetron WAGD (EVAC) x 1/8" FNPT | 72.88 |
| QDE1-DF2220 | Quick Disconnect Male Chemetron WAGD (EVAC) x DISS Fitting | 89.28 |
| QDE1-HB-4 | Quick Disconnect Male Chemetron WAGD (EVAC) x 1/4" Hose Barb | 72.88 |
| QDE1-HB-5 | Quick Disconnect Male Chemetron WAGD (EVAC) x 5/16" Hose Barb | 78.63 |
| QDE1-HN2220 | Quick Disconnect Male Chemetron WAGD (EVAC) x Hex Nut Female | 122.63 |
| QDE1-KN2220 | Quick Disconnect Male Chemetron WAGD (EVAC) x Knurled Nut Female | 130.79 |
| QDE2-12 | Quick Disconnect Female Chemetron WAGD (EVAC) x 1/8" MNPT | 167.62 |
| QDE2-14 | Quick Disconnect Female Chemetron WAGD (EVAC) x 1/4" MNPT | 198.10 |
| QDE2-22 | Quick Disconnect Female Chemetron WAGD (EVAC) x 1/8" FNPT | 198.10 |
| QDE2-DCV2220 | Quick Disconnect Female Chemetron WAGD (EVAC) x DISS Check Valve | 256.50 |
| QDE2-DF2220 | Quick Disconnect Female Chemetron WAGD (EVAC) x DISS Fitting | 243.00 |
| QDE2-HB-4 | Quick Disconnect Female Chemetron WAGD (EVAC) x 1/4" Hose Barb | 188.95 |
| QDE2-HB-5 | Quick Disconnect Female Chemetron WAGD (EVAC) x 5/16" Hose Barb | 198.10 |
| QDE2-HN2220 | Quick Disconnect Female Chemetron WAGD (EVAC) x Hex Nut Female | 194.40 |
| QDE2-KN2220 | Quick Disconnect Female Chemetron WAGD (EVAC) x Knurled Nut Female | 202.50 |
| QDE2-WO | Quick Disconnect Female Chemetron WAGD (EVAC) x Wall Outlet w/ Face Plate and 1/2" OD tube | 98.55 |
| QDE5-12 | Quick Disconnect Socket (SIS) Australian Vacuum (Suction) x 1/8" MNPT | 48.76 |
| QDE5-14 | Quick Disconnect Socket (SIS) Australian Vacuum (Suction) x 1/4" MNPT | 50.30 |
| QDE5-14 | Quick Disconnect Socket (BS) British Standard Vacuum (Suction)x 1/4" MNPT | 167.62 |
| QDE6-12 | Quick Disconnect Socket (SIS) Australian Oxygen x 1/8" MNPT | 40.50 |
| QDE6-12L18 | Quick Disconnect Socket (SIS) Australian Oxygen x 1/8" MNPT, 1.8" Long | 43.28 |
| QDE6-14 | Quick Disconnect Socket (SIS) Australian Oxygen x 1/4" MNPT | 50.30 |
| QDE6-14 | Quick Disconnect Socket (BS) British Standard Oxygen x 1/4" MNPT | 167.62 |
| QDE7-12 | Quick Disconnect Socket (SIS) Australian Nitrous Oxide x 1/8" MNPT | 48.76 |
| QDE7-14 | Quick Disconnect Socket (BS) British Standard Nitrous Oxide x 1/4" MNPT | 167.62 |
| QDE7-14 | Quick Disconnect Socket (SIS) Australian Nitrous Oxide x 1/4" MNPT | 50.30 |
| QDE8-12 | Quick Disconnect Socket (SIS) Australian Medical Air x 1/8" MNPT | 48.76 |

Min std package Flotec Part number can not be more than 15 spaces

Call for pricing 123456789012345

Perferred Source

| | | |
|--------------|---|--------|
| QDE8-14 | Quick Disconnect Socket (BS) British Standard Medical Air x 1/4" MNPT | 167.62 |
| QDE8-14 | Quick Disconnect Socket (SIS) Australian Medical Air x 1/4" MNPT | 50.30 |
| QDF1-12 | Quick Disconnect Male Ohio WAGD (EVAC) x 1/8" MNPT | 71.40 |
| QDF1-14 | Quick Disconnect Male Ohio WAGD (EVAC) x 1/4" MNPT | 94.62 |
| QDF1-22 | Quick Disconnect Male Ohio WAGD (EVAC) x 1/8" FNPT | 79.21 |
| QDF1-DCV2220 | Quick Disconnect Male Ohio WAGD (EVAC) x DISS Check Valve | 122.85 |
| QDF1-DF2220 | Quick Disconnect Male Ohio WAGD (EVAC) x DISS Fitting | 94.68 |
| QDF1-HB-4 | Quick Disconnect Male Ohio WAGD (EVAC) x 1/4" Hose Barb | 83.59 |
| QDF1-HB-5 | Quick Disconnect Male Ohio WAGD (EVAC) x 5/16" Hose Barb | 121.99 |
| QDF1-HN2220 | Quick Disconnect Male Ohio WAGD (EVAC) x Hex Nut Female | 121.99 |
| QDF1-KN2220 | Quick Disconnect Male Ohio WAGD (EVAC) x Knurled Nut Female | 165.99 |
| QDF2-12 | Quick Disconnect Female Ohio WAGD (EVAC) x 1/8" MNPT | 105.16 |
| QDF2-14 | Quick Disconnect Female Ohio WAGD (EVAC) x 1/4" MNPT | 105.16 |
| QDF2-22 | Quick Disconnect Female Ohio WAGD (EVAC) x 1/8" FNPT | 105.16 |
| QDF2-DF2220 | Quick Disconnect Female Ohio WAGD (EVAC) x DISS Fitting | 95.85 |
| QDF2-HB-4 | Quick Disconnect Female Ohio WAGD (EVAC) x 1/4" Hose Barb | 105.16 |
| QDF2-HB-5 | Quick Disconnect Female Ohio WAGD (EVAC) x 5/16" Hose Barb | 105.16 |
| QDF2-HN2220 | Quick Disconnect Female Ohio WAGD (EVAC) x Hex Nut Female | 123.53 |
| QDF2-KN2220 | Quick Disconnect Female Ohio WAGD (EVAC) x Knurled Nut Female | 168.08 |
| QDF4-12 | Quick Disconnect Male (DIN) Germany Nitrogen x 1/8" MNPT | 21.60 |
| QDF4-HB-4 | Quick Disconnect Male (DIN) Germany Nitrogen x 1/4" Hose Barb | 21.60 |
| QDF5-12 | Quick Disconnect Male (DIN) Germany Vacuum (Suction) x 1/8" MNPT | 32.01 |
| QDF5-90-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Vacuum (Suction) x 90 Elbow 1/4" Hose Barb | |
| QDF5-EG-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Vacuum (Suction) x Ergo-grip 1/4" Hose Barb | 71.87 |
| QDF5-HB-4 | Quick Disconnect Male (DIN) Germany Vacuum (Suction) x 1/4" Hose Barb | |
| QDF5-HB-5 | Quick Disconnect Male (DIN) Germany Vacuum (Suction) x 5/16" Hose Barb | 36.45 |
| QDF6-12 | Quick Disconnect Male (DIN) Germany Oxygen x 1/8" MNPT | 30.48 |
| QDF6-90-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Oxygen x 90 Elbow 1/4" Hose Barb | |
| QDF6-EG-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Oxygen x Ergo-grip 1/4" Hose Barb | 71.87 |
| QDF6-HB-4 | Quick Disconnect Male (DIN) Germany Oxygen x 1/4" Hose Barb | |
| QDF7-12 | Quick Disconnect Male (DIN) Germany Nitrous Oxide x 1/8" MNPT | 33.52 |
| QDF7-90-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Nitrous Oxide x 90 Elbow 1/4" Hose Barb | |
| QDF7-EG-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Nitrous Oxide x Ergo-grip 1/4" Hose Barb | 71.87 |
| QDF7-HB-4 | Quick Disconnect Male (DIN) Germany Nitrous Oxide x 1/4" Hose Barb | |
| QDF8-12 | Quick Disconnect Male (DIN) Germany Medical Air x 1/8" MNPT | 32.01 |
| QDF8-90-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Medical Air x 90 Elbow 1/4" Hose Barb | |
| QDF8-EG-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Medical Air x Ergo-grip 1/4" Hose Barb | 71.69 |
| QDF8-HB-4 | Quick Disconnect Male (DIN) Germany Medical Air x 1/4" Hose Barb | |
| QDF9-12 | Quick Disconnect Male (DIN) Germany Carbon Dioxide x 1/8" MNPT | 21.60 |
| QDF9-HB-5 | Quick Disconnect Male (DIN) Germany Carbon Dioxide x 5/16" Hose Barb | 21.60 |
| QDG1-12 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x 1/8" MNPT | 42.43 |
| QDG1-22 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x 1/8" FNPT | 44.58 |
| QDG1-DCV1040 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x DISS Check Valve | 60.14 |
| QDG1-DF1040 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x DISS Fitting | 60.28 |
| QDG1-HB-4 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x 1/4" Hose Barb | 47.31 |
| QDG1-HN1040 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x Hex Nut Female | 65.16 |
| QDG1-KN1040 | Quick Disconnect Male non-swivel Schrader Nitrous Oxide x Knurled Nut Female | 62.17 |
| QDG2-12 | Quick Disconnect Female Schrader Nitrous Oxide x 1/8" MNPT | 137.21 |
| QDG2-14 | Quick Disconnect Female Schrader Nitrous Oxide x 1/4" MNPT | 157.93 |
| QDG2-22 | Quick Disconnect Female Schrader Nitrous Oxide x 1/8" FNPT | 139.91 |
| QDG2-DF1040 | Quick Disconnect Female Schrader Nitrous Oxide x DISS Fitting | 164.21 |
| QDG2-HB-4 | Quick Disconnect Female Schrader Nitrous Oxide x 1/4" Hose Barb | 157.93 |
| QDG2-HN1040 | Quick Disconnect Female Schrader Nitrous Oxide x Hex Nut Female | 164.21 |
| QDG2-KN1040 | Quick Disconnect Female Schrader Nitrous Oxide x Knurled Nut Female | 169.61 |
| QDG3-12 | Quick Disconnect Male swivel Schrader Nitrous Oxide x 1/8" MNPT | 41.19 |
| QDG3-14 | Quick Disconnect Male swivel Schrader Nitrous Oxide x 1/4" MNPT | 44.39 |
| QDG3-22 | Quick Disconnect Male swivel Schrader Nitrous Oxide x 1/8" FNPT | 48.01 |
| QDG3-DCV1040 | Quick Disconnect Male swivel Schrader Nitrous Oxide x DISS Check Valve | 63.88 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|--|--------|
| QDG3-DF1040 | Quick Disconnect Male swivel Schrader Nitrous Oxide x DISS Fitting | 54.39 |
| QDG3-HB-4 | Quick Disconnect Male swivel Schrader Nitrous Oxide x 1/4" Hose Barb | 45.57 |
| QDG3-HN1040 | Quick Disconnect Male swivel Schrader Nitrous Oxide x Hex Nut Female | 62.66 |
| QDG3-KN1040 | Quick Disconnect Male swivel Schrader Nitrous Oxide x Knurled Nut Female | 65.16 |
| QDG3-Y-QDG2-14 | Y-Block Male non-swivel Schrader Nitrous Oxide x 2 - Female Schrader | 356.98 |
| QDG5-HB-4 | Quick Disconnect Male (BS) British Standard w/Knurled Nut Medical Air x 1/4" Hose Barb | 56.95 |
| QDG6-HB-4 | Quick Disconnect Male (BS) British Standard w/Knurled Nut Oxygen x 1/4" Hose Barb | 53.84 |
| QDG7-HB-4 | Quick Disconnect Male (BS) British Standard w/Knurled Nut Nitrous Oxide x 1/4" Hose Barb | 57.76 |
| QDG8-HB-4 | Quick Disconnect Male (BS) British Standard w/Knurled Nut Vacuum (Suction) x 1/4" Hose Barb | 58.92 |
| QDH1-12 | Quick Disconnect Male Ohio Nitrous Oxide x 1/8" MNPT | 40.00 |
| QDH1-14 | Quick Disconnect Male Ohio Nitrous Oxide x 1/4" MNPT | 42.67 |
| QDH1-22 | Quick Disconnect Male Ohio Nitrous Oxide x 1/8" FNPT | 40.00 |
| QDH1-DCV1040 | Quick Disconnect Male Ohio Nitrous Oxide x DISS Check Valve | 59.33 |
| QDH1-DF1040 | Quick Disconnect Male Ohio Nitrous Oxide x DISS Fitting | 48.67 |
| QDH1-HB-4 | Quick Disconnect Male Ohio Nitrous Oxide x 1/4" Hose Barb | 44.81 |
| QDH1-HN1040 | Quick Disconnect Male Ohio Nitrous Oxide x Hex Nut Female | 52.80 |
| QDH1-KN1040 | Quick Disconnect Male Ohio Nitrous Oxide x Knurled Nut Female | 58.11 |
| QDH1-TC-QDH2-14 | T-Block Center Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Nitrous Oxide | 327.72 |
| QDH1-TL-QDH2-14 | T-Block Left Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Nitrous Oxide | 327.72 |
| QDH1-TR-QDH2-14 | T-Block Right Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Nitrous Oxide | 327.72 |
| QDH1-Y-QDH2-14 | Y-Block Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Nitrous Oxide | 268.51 |
| QDH2-12 | Quick Disconnect Female Ohio Nitrous Oxide x 1/8" MNPT | 94.33 |
| QDH2-14 | Quick Disconnect Female Ohio Nitrous Oxide x 1/4" MNPT | 95.09 |
| QDH2-22 | Quick Disconnect Female Ohio Nitrous Oxide x 1/8" FNPT | 83.97 |
| QDH2-DF1040 | Quick Disconnect Female Ohio Nitrous Oxide x DISS Fitting | 100.28 |
| QDH2-HB-4 | Quick Disconnect Female Ohio Nitrous Oxide x 1/4" Hose Barb | 90.06 |
| QDH2-HN1040 | Quick Disconnect Female Ohio Nitrous Oxide x Hex Nut Female | 111.25 |
| QDH2-KN1040 | Quick Disconnect Female Ohio Nitrous Oxide x Knurled Nut Female | 117.49 |
| QDH2-WO | Quick Disconnect Female Ohio Nitrous Oxide x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| QDH3-22 | Quick Disconnect Male Hansen Small Brass Oxygen x 1/8" FNPT | |
| QDH4-12 | Quick Disconnect Female Hansen Small Brass Oxygen x 1/8" MNPT | |
| QDH5-12 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Vacuum (Suction) x 1/8" MNPT | 60.95 |
| QDH5-90-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Vacuum (Suction) x 90 Elbow 1/4" Hose | 69.81 |
| QDH5-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Vacuum (Suction) x 1/4" Hose Barb | 54.45 |
| QDH5-HB-5 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Vacuum (Suction) x 5/16" Hose Barb | 45.90 |
| QDH6-12 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Oxygen x 1/8" MNPT | 60.95 |
| QDH6-90-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Oxygen x 90 Elbow 1/4" Hose Barb | 62.49 |
| QDH6-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Oxygen x 1/4" Hose Barb | 47.25 |
| QDH7-12 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Nitrous Oxide x 1/8" MNPT | 60.95 |
| QDH7-90-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Nitrous Oxide x 90 Elbow 1/4" Hose Barb | 68.59 |
| QDH7-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Nitrous Oxide x 1/4" Hose Barb | 50.30 |
| QDH8-12 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Medical Air x 1/8" MNPT | 60.95 |
| QDH8-90-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Medical Air x 90 Elbow 1/4" Hose Barb | 65.54 |
| QDH8-HB-4 | Quick Disconnect Female (AFNOR) French w/Knurled Nut Medical Air x 1/4" Hose Barb | 48.76 |
| QDJ1-12 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/8" MNPT | 36.66 |
| QDJ1-14 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/4" MNPT | 41.30 |
| QDJ1-22 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/8" FNPT | 36.66 |
| QDJ1-DCV1220 | Quick Disconnect Male Ohio Vacuum (Suction) x DISS Check Valve | 62.29 |
| QDJ1-DF1220 | Quick Disconnect Male Ohio Vacuum (Suction) x DISS Fitting | 47.69 |
| QDJ1-HB-4 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/4" Hose Barb | 41.83 |
| QDJ1-HB-5 | Quick Disconnect Male Ohio Vacuum (Suction) x 5/16" Hose Barb | 77.00 |
| QDJ1-HN1220 | Quick Disconnect Male Ohio Vacuum (Suction) x Hex Nut Female | 49.84 |
| QDJ1-KN1220 | Quick Disconnect Male Ohio Vacuum (Suction) x Knurled Nut Female | 54.71 |
| QDJ1-TC-QDJ2-14 | T-Block Center Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Vacuum (Suction) | 327.72 |
| QDJ1-TL-QDJ2-14 | T-Block Left Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Vacuum (Suction) | 327.72 |
| QDJ1-TR-QDJ2-14 | T-Block Right Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Vacuum (Suction) | 327.72 |
| QDJ1-Y-QDJ2-14 | Y-Block Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Vacuum (Suction) | 250.66 |
| QDJ1Y-12 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/8" MNPT (ISO Yellow) | 40.66 |

Min std package Flotec Part number can not be more than 15 spaces

Call for pricing 123456789012345

Perferred Source

| | | |
|--------------|---|--------|
| QDJ1Y-22 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/8" FNPT (ISO Yellow) | 37.33 |
| QDJ1Y-HB-4 | Quick Disconnect Male Ohio Vacuum (Suction) x 1/4" Hose Barb (ISO Yellow) | 46.21 |
| QDJ1Y-HB-5 | Quick Disconnect Male Ohio Vacuum (Suction) x 5/16" Hose Barb (ISO Yellow) | 79.99 |
| QDJ2-12 | Quick Disconnect Female Ohio Vacuum (Suction) x 1/8" MNPT | 93.72 |
| QDJ2-14 | Quick Disconnect Female Ohio Vacuum (Suction) x 1/4" MNPT | 94.48 |
| QDJ2-22 | Quick Disconnect Female Ohio Vacuum (Suction) x 1/8" FNPT | 83.36 |
| QDJ2-DF1220 | Quick Disconnect Female Ohio Vacuum (Suction) x DISS Fitting | 99.50 |
| QDJ2-HB-4 | Quick Disconnect Female Ohio Vacuum (Suction) x 1/4" Hose Barb | 89.46 |
| QDJ2-HB-5 | Quick Disconnect Female Ohio Vacuum (Suction) x 5/16" Hose Barb | 106.78 |
| QDJ2-HN1220 | Quick Disconnect Female Ohio Vacuum (Suction) x Hex Nut Female | 110.47 |
| QDJ2-KN1220 | Quick Disconnect Female Ohio Vacuum (Suction) x Knurled Nut Female | 116.74 |
| QDJ2-WO | Quick Disconnect Female Ohio Vacuum (Suction) x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtail | |
| QDJ6-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Medical Air x 1/4" Hose Barb | 49.52 |
| QDJ7-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Oxygen x 1/4" Hose Barb | 48.01 |
| QDJ8-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Nitrous Oxide x 1/4" Hose Barb | 51.05 |
| QDJ9-HB-4 | Quick Disconnect Male (DIN) Germany w/Knurled Nut Vacuum (Suction) x 1/4" Hose Barb | 49.52 |
| QDK1-12 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x 1/8" MNPT | 24.99 |
| QDK1-14 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x 1/4" MNPT | 33.84 |
| QDK1-22 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x 1/8" FNPT | 32.48 |
| QDK1-DCV1120 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x DISS Check Valve | 75.03 |
| QDK1-DF1120 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x DISS Fitting | 51.05 |
| QDK1-HB-4 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x 1/4" Hose Barb | 40.75 |
| QDK1-HN1120 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x Hex Nut Female | 46.73 |
| QDK1-KN1120 | Quick Disconnect Male Puritan Bennett Nitrous Oxide x Knurled Nut Female | 49.17 |
| QDK2-12 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x 1/8" MNPT | 136.94 |
| QDK2-14 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x 1/4" MNPT | 154.59 |
| QDK2-22 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x 1/8" FNPT | 136.94 |
| QDK2-DF1040 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x DISS Fitting | 136.94 |
| QDK2-HB-4 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x 1/4" Hose Barb | 154.59 |
| QDK2-HN1040 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x Hex Nut Female | 136.94 |
| QDK2-KN1040 | Quick Disconnect Female Puritan Bennett Nitrous Oxide x Knurled Nut Female | 136.94 |
| QDK5-12 | Quick Disconnect Female (SIS) Australian Knurled Nut Vacuum (Suction) x 1/8" MNPT | 47.72 |
| QDK5-90-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Vacuum (Suction) x 90 Elbow 1/4" Hose Barb | |
| QDK5-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Vacuum (Suction) x 1/4" Hose Barb | 44.96 |
| QDK6-12 | Quick Disconnect Female (SIS) Australian Knurled Nut Oxygen x 1/8" MNPT | 49.02 |
| QDK6-90-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Oxygen x 90 Elbow 1/4" Hose Barb | |
| QDK6-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Oxygen x 1/4" Hose Barb | 43.42 |
| QDK7-12 | Quick Disconnect Female (SIS) Australian Knurled Nut Nitrous Oxide x 1/8" MNPT | 48.53 |
| QDK7-90-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Nitrous Oxide x 90 Elbow 1/4" Hose Barb | |
| QDK7-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Nitrous Oxide x 1/4" Hose Barb | 46.47 |
| QDK8-12 | Quick Disconnect Female (SIS) Australian Knurled Nut Medical Air x 1/8" MNPT | 47.54 |
| QDK8-90-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Medical Air x 90 Elbow 1/4" Hose Barb | |
| QDK8-HB-4 | Quick Disconnect Female (SIS) Australian Knurled Nut Medical Air x 1/4" Hose Barb | 44.96 |
| QDL1-12 | Quick Disconnect Male Medstar Nitrous Oxide x 1/8" MNPT | 54.00 |
| QDL1-HB-4 | Quick Disconnect Male Medstar Nitrous Oxide x 1/4" Hose Barb | |
| QDL3-12 | Quick Disconnect Male Medstar Medical Air x 1/8" MNPT | 54.00 |
| QDL3-HB-4 | Quick Disconnect Male Medstar Medical Air x 1/4" Hose Barb | |
| QDL5-12 | Quick Disconnect Male Medstar Oxygen x 1/8" MNPT | 54.00 |
| QDL5-HB-4 | Quick Disconnect Male Medstar Oxygen x 1/4" Hose Barb | |
| QDL7-12 | Quick Disconnect Male Medstar Vacuum (Suction) x 1/8" MNPT | 54.00 |
| QDL7-HB-4 | Quick Disconnect Male Medstar Vacuum (Suction) x 1/4" Hose Barb | |
| QDL7-HB-5 | Quick Disconnect Male Medstar Vacuum (Suction) x 5/16" Hose Barb | |
| QDM1-12 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 1/8" MNPT | 19.80 |
| QDM1-14 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 1/4" MNPT | 29.00 |
| QDM1-22 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 1/8" FNPT | 23.83 |
| QDM1-DCV1220 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x DISS Check Valve | 61.18 |
| QDM1-DF1220 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x DISS Fitting | 40.72 |
| QDM1-HB-4 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 1/4" Hose Barb | 30.80 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|--|--------|
| QDM1-HB-5 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 5/16" Hose Barb | 43.33 |
| QDM1-HN1220 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x Hex Nut Female | 37.79 |
| QDM1-KN1220 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x Knurled Nut Female | 47.05 |
| QDM1-Y-QDM2-14 | Y-Block Male Puritan Bennet Vacuum (Suction) x 2 - Female Puritan Bennett | 292.57 |
| QDM1Y-HB-4 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 1/4" Hose Barb (ISO Yellow) | 37.70 |
| QDM1Y-HB-5 | Quick Disconnect Male Puritan Bennett Vacuum (Suction) x 5/16" Hose Barb (ISO Yellow) | 48.01 |
| QDM2-12 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x 1/8" MNPT | 62.64 |
| QDM2-14 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x 1/4" MNPT | 115.93 |
| QDM2-22 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x 1/8" FNPT | 62.64 |
| QDM2-DF1220 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x DISS Fitting | 66.96 |
| QDM2-HB-4 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x 1/4" Hose Barb | 115.93 |
| QDM2-HB-5 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x 5/16" Hose Barb | 117.81 |
| QDM2-HN1220 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x Hex Nut Female | 69.12 |
| QDM2-KN1220 | Quick Disconnect Female Puritan Bennett Vacuum (Suction) x Knurled Nut Female | 71.28 |
| QDN1-12 | Quick Disconnect Male Chemetron Nitrous Oxide x 1/8" MNPT | 33.61 |
| QDN1-14 | Quick Disconnect Male Chemetron Nitrous Oxide x 1/4" MNPT | 41.07 |
| QDN1-22 | Quick Disconnect Male Chemetron Nitrous Oxide x 1/8" FNPT | 38.34 |
| QDN1-DCV1040 | Quick Disconnect Male Chemetron Nitrous Oxide x DISS Check Valve | 61.33 |
| QDN1-DF1040 | Quick Disconnect Male Chemetron Nitrous Oxide x DISS Fitting | 52.13 |
| QDN1-HB-4 | Quick Disconnect Male Chemetron Nitrous Oxide x 1/4" Hose Barb | 41.07 |
| QDN1-HN1040 | Quick Disconnect Male Chemetron Nitrous Oxide x Hex Nut Female | 49.86 |
| QDN1-KN1040 | Quick Disconnect Male Chemetron Nitrous Oxide x 1/8" Knurled Nut Female | 55.99 |
| QDN1-TC-QDN2-14 | T-Block Center Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Nitrous Oxide | 325.92 |
| QDN1-TL-QDN2-14 | T-Block Left Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Nitrous Oxide | 325.92 |
| QDN1-TR-QDN2-14 | T-Block Right Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Nitrous Oxide | 325.92 |
| QDN1-Y-QDN2-14 | Y-Block Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Nitrous Oxide | 263.58 |
| QDN2-12 | Quick Disconnect Female Chemetron Nitrous Oxide x 1/8" MNPT | 82.61 |
| QDN2-14 | Quick Disconnect Female Chemetron Nitrous Oxide x 1/4" MNPT | 84.11 |
| QDN2-22 | Quick Disconnect Female Chemetron Nitrous Oxide x 1/8" FNPT | 82.61 |
| QDN2-DF1040 | Quick Disconnect Female Chemetron Nitrous Oxide x DISS Fitting | 87.48 |
| QDN2-HB-4 | Quick Disconnect Female Chemetron Nitrous Oxide x 1/4" Hose Barb | 87.16 |
| QDN2-HN1040 | Quick Disconnect Female Chemetron Nitrous Oxide x Hex Nut Female | 92.30 |
| QDN2-KN1040 | Quick Disconnect Female Chemetron Nitrous Oxide x Knurled Nut Female | 97.93 |
| QDN2-WO | Quick Disconnect Female Chemetron Nitrous Oxide x Wall Outlet w/ Face Plate and 1/2" OD tube r | 98.55 |
| QDO1-12 | Quick Disconnect Male Ohio Oxygen x 1/8" MNPT | 33.99 |
| QDO1-14 | Quick Disconnect Male Ohio Oxygen x 1/4" MNPT | 38.52 |
| QDO1-22 | Quick Disconnect Male Ohio Oxygen x 1/8" FNPT | 37.09 |
| QDO1-DCV1240 | Quick Disconnect Male Ohio Oxygen x DISS Check Valve | 48.30 |
| QDO1-DF1240 | Quick Disconnect Male Ohio Oxygen x DISS Fitting | 41.83 |
| QDO1-HB-4 | Quick Disconnect Male Ohio Oxygen x 1/4" Hose Barb | 38.63 |
| QDO1-HN1240 | Quick Disconnect Male Ohio Oxygen x Hex Nut Female | 43.42 |
| QDO1-KN1240 | Quick Disconnect Male Ohio Oxygen x Knurled Nut Female | 46.21 |
| QDO1-TC-QDO2-14 | T-Block Center Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Oxygen | 327.72 |
| QDO1-TL-QDO2-14 | T-Block Left Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Oxygen | 327.72 |
| QDO1-TR-QDO2-14 | T-Block Right Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Oxygen | 327.72 |
| QDO1-Y-QDO2-14 | Y-Block Male Ohio x 1/8" MNPT x 2 - Female Ohio x 1/4" MNPT Oxygen | 245.17 |
| QDO1W-12 | Quick Disconnect Male Ohio Oxygen x 1/8" MNPT (ISO White) | 37.33 |
| QDO1W-22 | Quick Disconnect Male Ohio Oxygen x 1/8" FNPT (ISO White) | 39.21 |
| QDO1W-HB-4 | Quick Disconnect Male Ohio Oxygen x 1/4" Hose Barb (ISO White) | 43.13 |
| QDO2-12 | Quick Disconnect Female Ohio Oxygen x 1/8" MNPT | 92.50 |
| QDO2-14 | Quick Disconnect Female Ohio Oxygen x 1/4" MNPT | 93.26 |
| QDO2-22 | Quick Disconnect Female Ohio Oxygen x 1/8" FNPT | 82.14 |
| QDO2-DF1240 | Quick Disconnect Female Ohio Oxygen x DISS Fitting | 97.99 |
| QDO2-HB-4 | Quick Disconnect Female Ohio Oxygen x 1/4" Hose Barb | 88.24 |
| QDO2-HN1240 | Quick Disconnect Female Ohio Oxygen x Hex Nut Female | 108.96 |
| QDO2-KN1240 | Quick Disconnect Female Ohio Oxygen x Knurled Nut Female | 115.20 |
| QDO2-WO | Quick Disconnect Female Ohio Oxygen x Wall Outlet w/ Face Plate and 1/2" OD tube rotating pigtai | 96.53 |
| QDO2W-12 | Quick Disconnect Female Ohio Oxygen x 1/8" MNPT (ISO White) | 104.76 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|----------------|--|--------|
| QDP1-12 | Quick Disconnect Male Puritan Bennett Oxygen x 1/8" MNPT | 15.59 |
| QDP1-14 | Quick Disconnect Male Puritan Bennett Oxygen x 1/4" MNPT | 19.68 |
| QDP1-22 | Quick Disconnect Male Puritan Bennett Oxygen x 1/4" FNPT | 16.25 |
| QDP1-DCV1240 | Quick Disconnect Male Puritan Bennett Oxygen x Check Valve | 39.65 |
| QDP1-DF1240 | Quick Disconnect Male Puritan Bennett Oxygen x DISS Fitting | 27.43 |
| QDP1-HB-4 | Quick Disconnect Male Puritan Bennett Oxygen x 1/4" Hose Barb | 28.94 |
| QDP1-HN1240 | Quick Disconnect Male Puritan Bennett Oxygen x Hex Nut Female | 31.20 |
| QDP1-KN1240 | Quick Disconnect Male Puritan Bennett Oxygen x Knurled Nut Female | 33.32 |
| QDP1-Y-QDP2-14 | Y-Block Male Puritan Bennett Oxygen x 2 - Female Puritan Bennett | 292.57 |
| QDP1W-HB-4 | Quick Disconnect Male Puritan Bennett Oxygen x 1/4" Hose Barb (ISO White) | 34.89 |
| QDP2-12 | Quick Disconnect Female Puritan Bennett Oxygen x 1/8" MNPT | 102.71 |
| QDP2-14 | Quick Disconnect Female Puritan Bennett Oxygen x 1/4" MNPT | 115.93 |
| QDP2-22 | Quick Disconnect Female Puritan Bennett Oxygen x 1/8" FNPT | 129.71 |
| QDP2-24 | Quick Disconnect Female Puritan Bennett Oxygen x 1/4" FNPT | 129.71 |
| QDP2-DF1240 | Quick Disconnect Female Puritan Bennett Oxygen x DISS Fitting | 102.71 |
| QDP2-HB-4 | Quick Disconnect Female Puritan Bennett Oxygen x 1/4" Hose Barb | 115.93 |
| QDP2-HN1240 | Quick Disconnect Female Puritan Bennett Oxygen x Hex Nut Female | 110.92 |
| QDP2-KN1240 | Quick Disconnect Female Puritan Bennett Oxygen x Knurled Nut Female | 110.92 |
| QDQ1-12 | Quick Disconnect Male non-swivel Schrader Nitrogen x 1/8" MNPT | 41.36 |
| QDQ1-22 | Quick Disconnect Male non-swivel Schrader Nitrogen x 1/8" FNPT | 40.43 |
| QDQ1-DCV1120 | Quick Disconnect Male non-swivel Schrader Nitrogen x DISS Check Valve | 59.76 |
| QDQ1-DF1120 | Quick Disconnect Male non-swivel Schrader Nitrogen x DISS Fitting | 50.27 |
| QDQ1-HB-4 | Quick Disconnect Male non-swivel Schrader Nitrogen x 1/4" Hose Barb | 45.45 |
| QDQ1-HN1120 | Quick Disconnect Male non-swivel Schrader Nitrogen x Hex Nut Female | 57.67 |
| QDQ1-KN1120 | Quick Disconnect Male non-swivel Schrader Nitrogen x Knurled Nut Female | 59.76 |
| QDQ2-14 | Quick Disconnect Female Schrader Nitrogen x 1/4" MNPT | 157.93 |
| QDQ2-HB-4 | Quick Disconnect Female Schrader Nitrogen x 1/4" Hose Barb | 157.93 |
| QDQ3-12 | Quick Disconnect Male swivel Schrader Nitrogen x 1/8" MNPT | 39.71 |
| QDQ3-22 | Quick Disconnect Male swivel Schrader Nitrogen x 1/8" FNPT | 44.00 |
| QDQ3-DCV1120 | Quick Disconnect Male swivel Schrader Nitrogen x DISS Check Valve | 61.68 |
| QDQ3-DF1120 | Quick Disconnect Male swivel Schrader Nitrogen x DISS Fitting | 58.14 |
| QDQ3-HB-4 | Quick Disconnect Male swivel Schrader Nitrogen x 1/4" Hose Barb | 45.10 |
| QDQ3-HN1120 | Quick Disconnect Male swivel Schrader Nitrogen x Hex Nut Female | 59.79 |
| QDQ3-KN1120 | Quick Disconnect Male swivel Schrader Nitrogen x Knurled Nut Female | 58.80 |
| QDQ3-Y-QDQ2-14 | Y-Block Male non-swivel Schrader Nitrogen x 2 - Female Schrader | 356.98 |
| QDR1-12 | Quick Disconnect Male Puritan Bennett Medical Air x 1/8" MNPT | 22.70 |
| QDR1-14 | Quick Disconnect Male Puritan Bennett Medical Air x 1/4" MNPT | 28.79 |
| QDR1-22 | Quick Disconnect Male Puritan Bennett Medical Air x 1/4" FNPT | 23.83 |
| QDR1-DCV1160 | Quick Disconnect Male Puritan Bennett Medical Air x Check Valve | 64.64 |
| QDR1-DF1160 | Quick Disconnect Male Puritan Bennett Medical Air x DISS Fitting | 41.80 |
| QDR1-HB-4 | Quick Disconnect Male Puritan Bennett Medical Air x 1/4" Hose Barb | 35.32 |
| QDR1-HN1160 | Quick Disconnect Male Puritan Bennett Medical Air x Hex Nut Female | 43.31 |
| QDR1-KN1160 | Quick Disconnect Male Puritan Bennett Medical Air x Knurled Nut Female | 43.71 |
| QDR1-Y-QDR2-14 | Y-Block Male Puritan Bennett Medical Air x 2 - Female Puritan Bennett | 292.57 |
| QDR1B-HB-4 | Quick Disconnect Male Puritan Bennett Medical Air x 1/4" Hose Barb (ISO Black/White) | 38.95 |
| QDR2-12 | Quick Disconnect Female Puritan Bennett Medical Air x 1/8" MNPT | 102.71 |
| QDR2-14 | Quick Disconnect Female Puritan Bennett Medical Air x 1/4" MNPT | 115.93 |
| QDR2-22 | Quick Disconnect Female Puritan Bennett Medical Air x 1/8" FNPT | 102.71 |
| QDR2-DF1160 | Quick Disconnect Female Puritan Bennett Medical Air x DISS Fitting | 106.76 |
| QDR2-HB-4 | Quick Disconnect Female Puritan Bennett Medical Air x 1/4" Hose Barb | 115.81 |
| QDR2-HN1160 | Quick Disconnect Female Puritan Bennett Medical Air x Hex Nut Female | 108.68 |
| QDR2-KN1160 | Quick Disconnect Female Puritan Bennett Medical Air x Knurled Nut Female | 110.30 |
| QDS1-12 | Quick Disconnect Male non-swivel Schrader Oxygen x 1/8" MNPT | 31.49 |
| QDS1-14 | Quick Disconnect Male non-swivel Schrader Oxygen x 1/4" MNPT | 35.94 |
| QDS1-22 | Quick Disconnect Male non-swivel Schrader Oxygen x 1/8" FNPT | 31.72 |
| QDS1-DCV1240 | Quick Disconnect Male non-swivel Schrader Oxygen x DISS Check Valve | 47.37 |
| QDS1-DF1240 | Quick Disconnect Male non-swivel Schrader Oxygen x DISS Fitting | 35.50 |
| QDS1-HB-4 | Quick Disconnect Male non-swivel Schrader Oxygen x 1/4" Hose Barb | 35.50 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|----------------|--|--------|
| QDS1-HN1240 | Quick Disconnect Male non-swivel Schrader Oxygen x Hex Nut Female | 49.98 |
| QDS1-KN1240 | Quick Disconnect Male non-swivel Schrader Oxygen x Knurled Nut Female | 44.79 |
| QDS2-12 | Quick Disconnect Female Schrader Oxygen x 1/8" MNPT | 139.91 |
| QDS2-14 | Quick Disconnect Female Schrader Oxygen x 1/4" MNPT | 157.93 |
| QDS2-22 | Quick Disconnect Female Schrader Oxygen x 1/8" FNPT | 139.91 |
| QDS2-DF1240 | Quick Disconnect Female Schrader Oxygen x DISS Fitting | 139.91 |
| QDS2-HB-4 | Quick Disconnect Female Schrader Oxygen x 1/4" Hose Barb | 157.93 |
| QDS2-HN1240 | Quick Disconnect Female Schrader Oxygen x Hex Nut Female | 139.91 |
| QDS2-KN1240 | Quick Disconnect Female Schrader Oxygen x Knurled Nut Female | 139.91 |
| QDS3-12 | Quick Disconnect Male swivel Schrader Oxygen x 1/8" MNPT | 33.00 |
| QDS3-14 | Quick Disconnect Male swivel Schrader Oxygen x 1/4" MNPT | 33.43 |
| QDS3-22 | Quick Disconnect Male swivel Schrader Oxygen x 1/8" FNPT | 33.00 |
| QDS3-DCV1240 | Quick Disconnect Male swivel Schrader Oxygen x DISS Check Valve | 49.60 |
| QDS3-DF1240 | Quick Disconnect Male swivel Schrader Oxygen x DISS Fitting | 38.81 |
| QDS3-HB-4 | Quick Disconnect Male swivel Schrader Oxygen x 1/4" Hose Barb | 37.21 |
| QDS3-HN1240 | Quick Disconnect Male swivel Schrader Oxygen x Hex Nut Female | 42.87 |
| QDS3-KN1240 | Quick Disconnect Male swivel Schrader Oxygen x Knurled Nut Female | 51.95 |
| QDS3-Y-QDS2-14 | Y-Block Male swivel Schrader Oxygen x 2 - Female Schrader | 356.98 |
| QDS5-12 | Quick Disconnect Male Scandinavian (AGA) Vacuum (Suction) x 1/8" MNPT | 34.28 |
| QDS5-90-HB-5 | Quick Disconnect Male Scandinavian (AGA) Vacuum (Suction) x 90 Elbow 5/16" Hose Barb | |
| QDS5-HB-4 | Quick Disconnect Male Scandinavian (AGA) Vacuum (Suction) x 1/4" Hose Barb | 36.89 |
| QDS5-HB-5 | Quick Disconnect Male Scandinavian (AGA) Vacuum (Suction) x 1/8" Hose Barb | |
| QDS6-12 | Quick Disconnect Male Scandinavian (AGA) Oxygen x 1/8" MNPT | 32.77 |
| QDS6-90-HB-4 | Quick Disconnect Male Scandinavian (AGA) Oxygen x 90 Elbow 1/4" Hose Barb | |
| QDS6-HB-4 | Quick Disconnect Male Scandinavian (AGA) Oxygen x 1/8" Hose Barb | 32.77 |
| QDS7-12 | Quick Disconnect Male Scandinavian (AGA) Nitrous Oxide x 1/8" MNPT | 35.82 |
| QDS7-90-HB-4 | Quick Disconnect Male Scandinavian (AGA) Nitrous Oxide x 90 Elbow 1/4" Hose Barb | |
| QDS7-HB-4 | Quick Disconnect Male Scandinavian (AGA) Nitrous Oxide x 1/8" Hose Barb | 35.82 |
| QDS8-12 | Quick Disconnect Male Scandinavian (AGA) Medical Air x 1/8" MNPT | 34.28 |
| QDS8-90-HB-4 | Quick Disconnect Male Scandinavian (AGA) Medical Air x 90 Elbow 1/4" Hose Barb | |
| QDS8-HB-4 | Quick Disconnect Male Scandinavian (AGA) Medical Air x 1/4" Hose Barb | 34.28 |
| QDT1-12 | Quick Disconnect Male non-swivel Schrader Medical Air x 1/8" MNPT | 38.25 |
| QDT1-14 | Quick Disconnect Male non-swivel Schrader Medical Air x 1/4" MNPT | 41.45 |
| QDT1-22 | Quick Disconnect Male non-swivel Schrader Medical Air x 1/8" FNPT | 44.12 |
| QDT1-DCV1160 | Quick Disconnect Male non-swivel Schrader Medical Air x DISS Check Valve | 58.78 |
| QDT1-DF1160 | Quick Disconnect Male non-swivel Schrader Medical Air x DISS Fitting | 50.68 |
| QDT1-HB-4 | Quick Disconnect Male non-swivel Schrader Medical Air x 1/4" Hose Barb | 41.85 |
| QDT1-HN1160 | Quick Disconnect Male non-swivel Schrader Medical Air x Hex Nut Female | 57.93 |
| QDT1-KN1160 | Quick Disconnect Male non-swivel Schrader Medical Air x Knurled Nut Female | 60.17 |
| QDT2-12 | Quick Disconnect Female Schrader Medical Air x 1/8" MNPT | 122.12 |
| QDT2-14 | Quick Disconnect Female Schrader Medical Air x 1/4" MNPT | 137.84 |
| QDT2-22 | Quick Disconnect Female Schrader Medical Air x 1/8" FNPT | 122.12 |
| QDT2-DF1160 | Quick Disconnect Female Schrader Medical Air x DISS Fitting | 125.23 |
| QDT2-HB-4 | Quick Disconnect Female Schrader Medical Air x 1/4" Hose Barb | 141.35 |
| QDT2-HN1160 | Quick Disconnect Female Schrader Medical Air x Hex Nut Female | 127.17 |
| QDT2-KN1160 | Quick Disconnect Female Schrader Medical Air x Knurled Nut Female | 127.17 |
| QDT3-12 | Quick Disconnect Male swivel Schrader Medical Air x 1/8" MNPT | 42.49 |
| QDT3-14 | Quick Disconnect Male swivel Schrader Medical Air x 1/4" MNPT | 59.94 |
| QDT3-22 | Quick Disconnect Male swivel Schrader Medical Air x 1/8" FNPT | 40.43 |
| QDT3-DCV1160 | Quick Disconnect Male swivel Schrader Medical Air x DISS Check Valve | 59.21 |
| QDT3-DF1160 | Quick Disconnect Male swivel Schrader Medical Air x DISS Fitting | 48.53 |
| QDT3-HB-4 | Quick Disconnect Male swivel Schrader Medical Air x 1/4" Hose Barb | 45.69 |
| QDT3-HN1160 | Quick Disconnect Male swivel Schrader Medical Air x Hex Nut Female | 54.10 |
| QDT3-KN1160 | Quick Disconnect Male swivel Schrader Medical Air x Knurled Nut Female | 60.98 |
| QDT3-Y-QDT2-14 | Y-Block Male swivel non-Schrader Medical Air x 2 - Female Schrader | 356.98 |
| QDT5-12 | Quick Disconnect Male Japanese (JIS) Vacuum (Suction) x 1/8" MNPT | |
| QDT5-90-HB-4 | Quick Disconnect Male Japanese (JIS) Vacuum (Suction) x 90 Elbow 1/4" Hose Barb | |
| QDT5-HB-4 | Quick Disconnect Male Japanese (JIS) Vacuum (Suction) x 1/4" Hose Barb | |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|---|--------|
| QDT6-12 | Quick Disconnect Male Japanese (JIS) Oxygen x 1/8" MNPT | |
| QDT6-90-HB-4 | Quick Disconnect Male Japanese (JIS) Oxygen x 90 Elbow 1/4" Hose Barb | |
| QDT6-HB-4 | Quick Disconnect Male Japanese (JIS) Oxygen x 1/4" Hose Barb | |
| QDT7-12 | Quick Disconnect Male Japanese (JIS) Nitrous Oxide x 1/8" MNPT | |
| QDT7-90-HB-4 | Quick Disconnect Male Japanese (JIS) Nitrous Oxide x 90 Elbow 1/4" Hose Barb | |
| QDT7-HB-4 | Quick Disconnect Male Japanese (JIS) Nitrous Oxide x 1/4" Hose Barb | |
| QDT8-12 | Quick Disconnect Male Japanese (JIS) Medical Air x 1/8" MNPT | |
| QDT8-90-HB-4 | Quick Disconnect Male Japanese (JIS) Medical Air x 90 Elbow 1/4" Hose Barb | |
| QDT8-HB-4 | Quick Disconnect Male Japanese (JIS) Medical Air x 1/4" Hose Barb | |
| QDU1-12 | Quick Disconnect Male Chemetron Carbon Dioxide x 1/8" MNPT | 36.29 |
| QDU1-14 | Quick Disconnect Male Chemetron Carbon Dioxide x 1/4" MNPT | 63.66 |
| QDU1-22 | Quick Disconnect Male Chemetron Carbon Dioxide x 1/8" FNPT | 51.56 |
| QDU1-DCV1080 | Quick Disconnect Male Chemetron Carbon Dioxide x DISS Check Valve | 84.82 |
| QDU1-DF1080 | Quick Disconnect Male Chemetron Carbon Dioxide x DISS Fitting | 72.73 |
| QDU1-HB-4 | Quick Disconnect Male Chemetron Carbon Dioxide x 1/4" Hose Barb | 36.29 |
| QDU1-HN1080 | Quick Disconnect Male Chemetron Carbon Dioxide x Hex Nut Female | 90.87 |
| QDU1-KN1080 | Quick Disconnect Male Chemetron Carbon Dioxide x Knurled Nut Female | 93.90 |
| QDU2-12 | Quick Disconnect Female Chemetron Carbon Dioxide x 1/8" MNPT | 81.65 |
| QDU2-14 | Quick Disconnect Female Chemetron Carbon Dioxide x 1/4" MNPT | 102.82 |
| QDU2-22 | Quick Disconnect Female Chemetron Carbon Dioxide x 1/8" FNPT | 127.01 |
| QDU2-DF1080 | Quick Disconnect Female Chemetron Carbon Dioxide x DISS Fitting | 96.77 |
| QDU2-HB-4 | Quick Disconnect Female Chemetron Carbon Dioxide x 1/4" Hose Barb | 81.65 |
| QDU2-HN1080 | Quick Disconnect Female Chemetron Carbon Dioxide x Hex Nut Female | 157.25 |
| QDU2-KN1080 | Quick Disconnect Female Chemetron Carbon Dioxide x Knurled Nut Female | 157.25 |
| QDV1-12 | Quick Disconnect Male Chemetron Vacuum (Suction) x 1/8" MNPT | 34.39 |
| QDV1-14 | Quick Disconnect Male Chemetron Vacuum (Suction) x 1/4" MNPT | 41.07 |
| QDV1-22 | Quick Disconnect Male Chemetron Vacuum (Suction) x 1/8" FNPT | 38.14 |
| QDV1-DCV1220 | Quick Disconnect Male Chemetron Vacuum (Suction) x DISS Check Valve | 58.25 |
| QDV1-DF1220 | Quick Disconnect Male Chemetron Vacuum (Suction) x DISS Fitting | 49.86 |
| QDV1-HB-4 | Quick Disconnect Male Chemetron Vacuum (Suction) x 1/4" Hose Barb | 41.07 |
| QDV1-HB-5 | Quick Disconnect Male Chemetron Vacuum (Suction) x 5/16" Hose Barb | 53.35 |
| QDV1-HN1220 | Quick Disconnect Male Chemetron Vacuum (Suction) x Hex Nut Female | 51.37 |
| QDV1-KN1220 | Quick Disconnect Male Chemetron Vacuum (Suction) x Knurled Nut Female | 58.25 |
| QDV1-TC-QDV2-14 | T-Block Center Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Vacuum (Suction) | 301.69 |
| QDV1-TL-QDV2-14 | T-Block Left Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Vacuum (Suction) | 301.69 |
| QDV1-TR-QDV2-14 | T-Block Right Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Vacuum (Suction) | 301.69 |
| QDV1-Y-QDV2-14 | Y-Block Male Chemetron x 1/8" MNPT x 2 - Female Chemetron x 1/4" MNPT Vacuum (Suction) | 263.58 |
| QDV2-12 | Quick Disconnect Female Chemetron Vacuum (Suction) x 1/8" MNPT | 81.39 |
| QDV2-14 | Quick Disconnect Female Chemetron Vacuum (Suction) x 1/4" MNPT | 82.90 |
| QDV2-22 | Quick Disconnect Female Chemetron Vacuum (Suction) x 1/8" FNPT | 81.39 |
| QDV2-DF1220 | Quick Disconnect Female Chemetron Vacuum (Suction) x DISS Fitting | 86.26 |
| QDV2-HB-4 | Quick Disconnect Female Chemetron Vacuum (Suction) x 1/4" Hose Barb | 85.94 |
| QDV2-HB-5 | Quick Disconnect Female Chemetron Vacuum (Suction) x 5/16" Hose Barb | 115.81 |
| QDV2-HN1220 | Quick Disconnect Female Chemetron Vacuum (Suction) x Hex Nut Female | 95.41 |
| QDV2-KN1220 | Quick Disconnect Female Chemetron Vacuum (Suction) x Knurled Nut Female | 96.71 |
| QDV2-WO | Quick Disconnect Female Chemetron Vacuum (Suction) x Wall Outlet w/ Face Plate and 1/2" OD tube | 98.55 |
| QDW1-12 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x 1/8" MNPT | 38.81 |
| QDW1-14 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x 1/4" MNPT | 48.60 |
| QDW1-22 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x 1/4" FNPT | 43.16 |
| QDW1-DCV1220 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x DISS Check Valve | 64.06 |
| QDW1-DF1220 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x DISS Fitting | 51.20 |
| QDW1-HB-4 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x 1/4" Hose Barb | 44.47 |
| QDW1-HB-5 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x 5/16" Hose Barb | 59.88 |
| QDW1-HN1220 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x Hex Nut Female | 59.53 |
| QDW1-KN1220 | Quick Disconnect Male non-swivel Schrader Vacuum (Suction) x Knurled Nut Female | 61.45 |
| QDW2-12 | Quick Disconnect Female Schrader Vacuum (Suction) x 1/8" MNPT | 149.04 |
| QDW2-14 | Quick Disconnect Female Schrader Vacuum (Suction) x 1/4" MNPT | 157.93 |
| QDW2-22 | Quick Disconnect Female Schrader Vacuum (Suction) x 1/8" FNPT | 149.04 |

| | |
|-----------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
|-----------------|---|

| | |
|------------------|-----------------|
| Call for pricing | 123456789012345 |
|------------------|-----------------|

| | |
|------------------|--|
| Perferred Source | |
|------------------|--|

| | | |
|----------------|---|--------|
| QDW2-DF1220 | Quick Disconnect Female Schrader Vacuum (Suction) x DISS Fitting | 162.00 |
| QDW2-HB-4 | Quick Disconnect Female Schrader Vacuum (Suction) x 1/4" Hose Barb | 157.93 |
| QDW2-HB-5 | Quick Disconnect Female Schrader Vacuum (Suction) x 5/16" Hose Barb | 157.93 |
| QDW2-HN1220 | Quick Disconnect Female Schrader Vacuum (Suction) x Hex Nut Female | 168.48 |
| QDW2-KN1220 | Quick Disconnect Female Schrader Vacuum (Suction) x Knurled Nut Female | 187.92 |
| QDW3-12 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x 1/8" MNPT | 42.49 |
| QDW3-14 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x 1/4" MNPT | 48.60 |
| QDW3-22 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x 1/8" FNPT | 42.29 |
| QDW3-DCV1220 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x DISS Check Valve | 64.96 |
| QDW3-DF1220 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x DISS Fitting | 62.35 |
| QDW3-HB-4 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x 1/4" Hose Barb | 45.66 |
| QDW3-HB-5 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x 5/16" Hose Barb | 52.94 |
| QDW3-HN1220 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x Hex Nut Female | 51.72 |
| QDW3-KN1220 | Quick Disconnect Male swivel Schrader Vacuum (Suction) x Knurled Nut Female | 59.24 |
| QDW3-Y-QDW2-14 | Y-Block Male swivel Schrader Vacuum (Suction) x 2 - Female Schrader | 356.98 |
| QDY1-12 | Quick Disconnect Male Ohio Carbon Dioxide x 1/8" MNPT | 85.86 |
| QDY1-14 | Quick Disconnect Male Ohio Carbon Dioxide x 1/4" MNPT | 102.66 |
| QDY1-22 | Quick Disconnect Male Ohio Carbon Dioxide x 1/4" FNPT | 96.80 |
| QDY1-DCV1080 | Quick Disconnect Male Ohio Carbon Dioxide x DISS Check Valve | 113.40 |
| QDY1-DF1080 | Quick Disconnect Male Ohio Carbon Dioxide x DISS Fitting | 90.72 |
| QDY1-HB-4 | Quick Disconnect Male Ohio Carbon Dioxide x 1/4" Hose Barb | 96.80 |
| QDY1-HN1080 | Quick Disconnect Male Ohio Carbon Dioxide x 1/4" Hex Nut Female | 108.52 |
| QDY1-KN1080 | Quick Disconnect Male Ohio Carbon Dioxide x Knurled Nut Female | 142.56 |
| QDY2-12 | Quick Disconnect Female Ohio Carbon Dioxide x 1/8" MNPT | 120.63 |
| QDY2-14 | Quick Disconnect Female Ohio Carbon Dioxide x 1/4" MNPT | 119.84 |
| QDY2-22 | Quick Disconnect Female Ohio Carbon Dioxide x 1/4" FNPT | 120.66 |
| QDY2-DF1080 | Quick Disconnect Female Ohio Carbon Dioxide x DISS Fitting | 77.76 |
| QDY2-HB-4 | Quick Disconnect Female Ohio Carbon Dioxide x 1/4" Hose Barb | 122.14 |
| QDY2-HN1080 | Quick Disconnect Female Ohio Carbon Dioxide x Hex Nut Female | 106.92 |
| QDY2-KN1080 | Quick Disconnect Female Ohio Carbon Dioxide x Knurled Nut Female | 126.36 |
| QDZ1-12 | Quick Disconnect Male Oxequip Nitrous Oxide x 1/8" MNPT | 32.40 |
| QDZ1-14 | Quick Disconnect Male Oxequip Nitrous Oxide x 1/4" MNPT | 36.77 |
| QDZ1-22 | Quick Disconnect Male Oxequip Nitrous Oxide x 1/8" FNPT | 33.37 |
| QDZ1-DCV1040 | Quick Disconnect Male Oxequip Nitrous Oxide x DISS Check Valve | 51.84 |
| QDZ1-DF1040 | Quick Disconnect Male Oxequip Nitrous Oxide x DISS Fitting | 42.12 |
| QDZ1-HB-4 | Quick Disconnect Male Oxequip Nitrous Oxide x 1/4" Hose Barb | 48.60 |
| QDZ1-HN1040 | Quick Disconnect Male Oxequip Nitrous Oxide x Hex Nut Female | 55.08 |
| QDZ1-KN1040 | Quick Disconnect Male Oxequip Nitrous Oxide x Knurled Nut Female | 51.84 |
| QDZ3-12 | Quick Disconnect Male Oxequip Medical Air x 1/8" MNPT | 32.40 |
| QDZ3-14 | Quick Disconnect Male Oxequip Medical Air x 1/4" MNPT | 36.77 |
| QDZ3-22 | Quick Disconnect Male Oxequip Medical Air x 1/8" FNPT | 33.37 |
| QDZ3-DCV1160 | Quick Disconnect Male Oxequip Medical Air x DISS Check Valve | 57.35 |
| QDZ3-DF1160 | Quick Disconnect Male Oxequip Medical Air x DISS Fitting | 45.85 |
| QDZ3-HB-4 | Quick Disconnect Male Oxequip Medical Air x 1/4" Hose Barb | 44.87 |
| QDZ3-HN1160 | Quick Disconnect Male Oxequip Medical Air x Hex Nut Female | 46.98 |
| QDZ3-KN1160 | Quick Disconnect Male Oxequip Medical Air x Knurled Nut Female | 43.42 |
| QDZ4-12 | Quick Disconnect Female Oxequip Oxygen x 1/8" MNPT | 262.85 |
| QDZ5-12 | Quick Disconnect Male Oxequip Oxygen x 1/8" MNPT | 29.16 |
| QDZ5-14 | Quick Disconnect Male Oxequip Oxygen x 1/4" MNPT | 32.40 |
| QDZ5-22 | Quick Disconnect Male Oxequip Oxygen x 1/8" FNPT | 29.65 |
| QDZ5-DCV1240 | Quick Disconnect Male Oxequip Oxygen x DISS Check Valve | 53.46 |
| QDZ5-DF1240 | Quick Disconnect Male Oxequip Oxygen x DISS Fitting | 42.12 |
| QDZ5-HB-4 | Quick Disconnect Male Oxequip Oxygen x 1/4" Hose Barb | 41.31 |
| QDZ5-HN1240 | Quick Disconnect Male Oxequip Oxygen x Hex Nut Female | 43.42 |
| QDZ5-KN1240 | Quick Disconnect Male Oxequip Oxygen x Knurled Nut Female | 39.69 |
| QDZ7-12 | Quick Disconnect Male Oxequip Vacuum (Suction) x 1/8" MNPT | 33.37 |
| QDZ7-14 | Quick Disconnect Male Oxequip Vacuum (Suction) x 1/4" MNPT | 57.35 |
| QDZ7-22 | Quick Disconnect Male Oxequip Vacuum (Suction) x 1/8" FNPT | 33.37 |

| | |
|------------------|---|
| Min std package | Flotec Part number can not be more than 15 spaces |
| Call for pricing | 123456789012345 |
| Perferred Source | |

| | | |
|-----------------|---|--------|
| QDZ7-DCV1220 | Quick Disconnect Male Oxequip Vacuum (Suction) x DISS Check Valve | 45.68 |
| QDZ7-DF1220 | Quick Disconnect Male Oxequip Vacuum (Suction) x DISS Fitting | 44.87 |
| QDZ7-HB-4 | Quick Disconnect Male Oxequip Vacuum (Suction) x 1/4" Hose Barb | 44.87 |
| QDZ7-HN1220 | Quick Disconnect Male Oxequip Vacuum (Suction) x Hex Nut Female | 46.98 |
| QDZ7-KN1220 | Quick Disconnect Male Oxequip Vacuum (Suction) x Knurled Nut Female | 43.42 |
| SOV-011-2-2 | Shutoff Valve 1/8" MNPT to 1/8" MNPT | 40.37 |
| SOV-011-4-4 | Shutoff Valve 1/4" MNPT to 1/4" MNPT | 41.30 |
| SOV-012-2-2 | Shutoff Valve 1/8" MNPT to 1/8" FNPT | 40.37 |
| SOV-012-4-4 | Shutoff Valve 1/4" MNPT to 1/4" FNPT | 41.30 |
| SOV-022-2-2 | Shutoff Valve 1/8" FNPT to 1/8" FNPT | 40.37 |
| SOV-022-4-4 | Shutoff Valve 1/4" FNPT to 1/4" FNPT | 41.30 |
| T-5111A | Tool, Crimping, Heavy Duty | |
| T-CR-100 | Tool, Crimping, Bench | 568.40 |
| T-DR-36 | Tool, Crimping Die Set for 5/16" hose | |
| T-DR-39 | Tool, Crimping Die Set for 1/4" hose | |
| T-DR-41 | Tool, Crimping Die Set for 3/16" hose | |
| T-HC-1 | Tool, Hose Cutter | 54.28 |
| T-HC-1B | Tool, Hose Cutter Blade | 24.38 |
| TF-40 | Teflon Tape 1/4" x 520" for 1/8" & 1/4" MNPT | 6.10 |
| TF-50 | Teflon Tape 1/2" x 520" for 1/2" MNPT | 6.10 |
| VT-02 | Vinyl Tubing 1/8" x 1/4" | 78.74 |
| VT-03 | Vinyl Tubing 3/16" x 5/16" | |
| VT-04 | Vinyl Tubing 1/4" x 3/8" | 106.61 |
| VT-04-07 | Vinyl Tubing 1/4" x 7/16" | 168.69 |
| VT-05 | Vinyl Tubing 5/16" x 7/16" | |
| VT-06 | Vinyl Tubing 3/8" x 9/16" | |
| VT-06-08 | Vinyl Tubing 3/8" x 1/2" | |
| VT-08 | Vinyl Tubing 1/2" x 5/8" | |
| WT022-2-2 | Water Trap Assembly 1/8" FNPT x 1/8" FNPT | 139.06 |
| WT0DF-1160-DHN2 | Water Trap Assembly DISS Fitting Medical Air to DISS Hex Nut Female | 189.07 |
| WT0DF-1240-DHN2 | Water Trap Assembly DISS Fitting Oxygen to DISS Hex Nut Female | 186.40 |
| WT1DF-1160-DHN2 | Water Trap Assembly 90 Elbow DISS Fitting Medical Air to DISS Hex Nut Female | 208.89 |
| WT2DF-1160-DHN2 | Water Trap Assembly 90 Elbow DISS Fitting Medical Air to 90 Elbow DISS Hex Nut Female | 220.15 |
| WT2DF-1240-DHN2 | Water Trap Assembly 90 Elbow DISS Fitting Oxygen to 90 Elbow DISS Hex Nut Female | |
| WTF | Water Trap Filter Element | 49.95 |
| WTR | Water Trap Reservoir w/ Manual Drain | 110.41 |
| z-DO NOT SALE- | Yoke Washer, Plastic | |
| z-DO NOT SALE- | Yoke Washer, Buna-N (Nitrile) over Aluminum | 2.84 |
| z-DO NOT SALE- | Yoke Washer, Viton over Brass | 2.41 |
| z-DO NOT SALE- | T-Handle 1-3/4" Screw Length | |
| z-DO NOT SALE- | T-Handle 2-3/16" Screw Length | |
| z-DO NOT SALE- | Plastic Yoke Washer (each price, pack of 10) | |