





## Ambulance Respiratory Systems

Flotec has developed a new Respiratory System designed specifically for Ambulance Applications. The features and functions of the Regulator and the Flow Control Valve are matched for increased efficiency.

- Regulator and Flow Control Valve have matching flow ranges covering the full range of 0-25 LPM.
- Regulator and Flow Control Valve have matching hose barb outlets.
- Regulator and Flow Control Valve have optional matching DISS-1240 Check Valve auxiliary outlets.
- Flowmeter has an optional removeable Resident Nipple Adapter for CPAP or Humidifier applications.
- Flow Control Valve has multiple outlet options to match Regulator.



RR813-300P4



FN0-2EEP6

FN0-2EOP6



T10-BEED3P6


Dual Flow Control Valve from a single wall outlet.

Optional Pediatric plus High Flow Control Valve.

Optional removeable Resident Nipple Adapter for CPAP or Humidifier applications.

Optional DISS-1240 Check Valve, Female Ohio or Chemetron.

Optional T or Y styles.





### Ambulance Set-Up 0-25 LPM (no DISS check valve)

Part Number	Description
F10-2E0P6	Flow Control Valve 0-25 LPM, DISS Outlet
FN0-2E0P6	Flow Control Valve 0-25 LPM, DISS Outlet with HBD2
T10-BE0D3P6	Dual Flow Control Valve 0-4 & 0-25 LPM
RR803-300P4	CGA 840, Regulator 0-25 LPM
RR510-600	CGA 540, Pressure Reducer, 1 DISS CV
RZ510-600	CGA 540, Pressure Reducer, Transducer port, 1 DISS CV



RR803-300P4



FN0-2E0P6

### Ambulance Set-Up 0-25 LPM (1 DISS check valve)

Part Number	Description
F10-2EEP6	Flow Control Valve 0-25 LPM, DISS Outlet
FN0-2EEP6	Flow Control Valve 0-25 LPM, 1 DISS CV, DISS Outlet with HBD2
T10-BEED3P6	Dual Flow Control Valve 0-4 & 0-25 LPM, 1 DISS CV
RR813-300P4	CGA 840, Regulator 0-25 LPM, 1 DISS CV
RR510-600	CGA 540, Pressure Reducer, 1 DISS CV
RZ510-600	CGA 540, Pressure Reducer, Transducer port, 1 DISS CV



RR813-300P4



FN0-2EEP6

### Ambulance Set-Up 0-25 LPM (2 DISS check valve)

Part Number	Description
FN0-2EEP6	Flow Control Valve 0-25 LPM, 1 DISS CV
FN0-2EEP6	Flow Control Valve 0-25 LPM, 1 DISS CV, DISS Outlet with HBD2
T10-BEED3P6	Dual Flow Control Valve 0-4 & 0-25 LPM, 1 DISS CV
RR833-300P4	CGA 840, Regulator 0-25 LPM, 2 DISS CV
RR530-600	CGA 540, Pressure Reducer, 2 DISS CV
RZ530-600	CGA 540, Pressure Reducer, Transducer port, 2 DISS CV



RR833-300P4



FN0-2EEP6

Tang Knob



(100 series)

Large Knurled Knob



(200 series)

Small Knurled Knob



(300 series)

Shrouded Knob



(500 series)



## CGA 540 Pressure Reducers for M-Cylinders

- Hand Tight and Wrench styles.
- All styles include high pressure O-Ring.
- Light weight.
- One or Two DISS-1240 Check Valves.



RR500-667



RR530-600

## Transducer Port Configurations



RZ510-600



RZU10-600



RZU00-60E